



Shire of Busselton
Geographe Bay

**FORESHORE MANAGEMENT PLAN
RESERVE 34111, QUINDALUP**

Adopted December 2005

DISCLAIMER

This document is published in accordance with and subject to an agreement between ATA Environmental (“ATA”) and the client for whom it has been prepared the Shire of Busselton (“Client”) and is restricted to those issues that have been raised by the client in its engagement of ATA and prepared using the standard of skill and care ordinarily exercised by Environmental Scientists in the preparation of such Documents.

Any person or organisation that relies on or uses the document for purposes or reasons other than those agreed by ATA and the Client without first obtaining the prior written consent of ATA, does so entirely at their own risk and ATA denies all liability in tort, contract or otherwise for any loss, damage or injury of any kind whatsoever (whether in negligence or otherwise) that may be suffered as a consequence of relying on this Document for any purpose other than that agreed with the Client.


QUALITY ASSURANCE

ATA Environmental has implemented a comprehensive range of quality control measures on all aspects of the company’s operation and has Quality Assurance certification to ISO 9001.


An internal quality review process has been applied to each project task undertaken by us. Each document is carefully reviewed by core members of the consultancy team and signed off at Partner level prior to issue to the client. Draft documents are submitted to the client for comment and acceptance prior to final production.

Document No: SBU-2005-005-FMP_001_bv_V3

Report No: 2005/59

Checked by: Signed: 

Name: Bernadette Van der Wiele Date: 1 August 2005

Approved by: Signed: 

Name: Dr Mark Shepherd Date: 1 August 2005

TABLE OF CONTENTS

1.	INTRODUCTION	1
1.1	Background	1
1.2	Management Plan Mission Statement.....	1
1.3	Location of Reserve	2
1.4	Vesting and Purpose	2
1.5	Surrounding land uses.....	3
1.6	State Coastal Planning Policy	3
2.	DESCRIPTION OF THE ENVIRONMENT	5
2.1	Topography	5
2.2	Landform and Soils.....	5
2.3	Vegetation and Flora.....	5
2.3.1	Assessment Methodology	5
2.3.2	Vegetation Complexes	6
2.3.3	Vegetation Types and Vegetation Condition.....	6
2.3.4	Floristic Community Types	8
2.3.5	Flora	9
2.4	Wetlands	9
2.5	Fauna.....	10
2.6	Feral Animals.....	10
3.	HUMAN USE ATTRIBUTES	11
3.1	Historical Land Use	11
3.2	Recreational Attributes	11
3.3	Recreational Opportunities – Dunsborough Bay Yacht Club Boatshed.....	12
3.4	Coastal Processes Setback	14
3.5	Provision of Coastal Facilities	18
3.6	Educational Uses.....	18
3.7	Heritage and Cultural Values.....	18
4.	MANAGEMENT OBJECTIVES	19
4.1	Conservation	19
4.2	Recreation	19
4.3	Education	19
4.4	Fire Management	19
5.	MANAGEMENT PLAN	20
5.1	Remnant Vegetation.....	20
5.2	Elmore Lagoon Wetland	21
5.3	Feral Animals.....	22
5.4	Weed Control	22
5.5	Access	24
5.5.1	Car Parking	24
5.5.2	Beach Access Paths.....	24

5.5.3	Dual Use Path	25
5.5.4	Fencing.....	25
5.5.5	Signage.....	26
5.6	Other Amenities	26
5.6.1	Toilets and Showers	26
5.6.2	Bins	27
5.7	Interpretation and Education.....	27
5.8	Heritage and Culture	27
5.9	Fire Risk and Management	28
5.10	Provision of Coastal Facilities	28
6.	IMPLEMENTATION	29
6.1	Community Involvement	29
6.2	External Funding Opportunities.....	29
6.3	Shire Assistance	30
6.4	Life of Plan	30
6.5	Prioritisation of Works and Allocation of Responsibility.....	30
5.10	Provision of Coastal Facilities	34
	REFERENCES	1

LIST OF FIGURES

1. Location
- 2a. Vegetation Types and Condition – West
- 2b. Vegetation Types and Condition – East
- 3a. Management Plan - West
- 3b. Management Plan - East

LIST OF APPENDICES

1. Council Resolution
2. Quindalup Reserve No. 34111 Flora List
3. Birds Observed during Summer 2003 by Dunsborough Coast and Land Care
4. Dunsborough Yacht Club Workshop Report October 2004 (by Janet Payton)

Forward

This Foreshore Management Plan (FMP) for Reserve 34111 Quindalup is currently a *draft* document. The FMP will be advertised for 28 days from <date> to <date>, during which period the public will be invited to make comment. Comments should be submitted to the Shire of Busselton via post, e-mail or fax to the following address:

Name

Address

Email

Fax

Following the cessation of the advertising period, the draft FMP along with a schedule of any submissions will be referred to Council for determination.

1. INTRODUCTION

1.1 Background

Reserve 34111 is a 'C' Class Reserve located in Quindalup and under the management of in the Shire of Busselton for the purpose of Recreation. It is approximately 21ha in area and extends parallel to the Geographe Bay coastline and is situated north of Geographe Bay Road in Quindalup, approximately between where Tulloh Street and Robbies Close join Geographe Bay Road (Figure 1). Most of Reserve 34111 is vegetated with natural coastal vegetation, it also contains a dual use path (DUP) that extends along the length of the Reserve on the southern side and a boat ramp in the eastern section with an associated informal gravel car park.

Following a proposal submitted to the Shire of Busselton by the Dunsborough Bay Yacht Club to build a boatshed on Class 'A' Reserve 46 and the community consultation that followed, Council resolved on 27 January 2005 (C0501/020) to initiate the preparation of this Foreshore Management Plan (FMP) for Reserve 34111 Quindalup.

The proposed Dunsborough Bay Yacht Club boatshed is for the purpose of housing sailing boats and equipment. The proposed location for the boatshed on Class 'A' Reserve 46 adjacent to the existing Quindalup boat ramp, associated parking areas, ablution facilities and the Sea Rescue building is considered to be contra to the status and values of Reserve 46 (Figure 1).

Through community consultation undertaken by the Shire of Busselton it was determined that Class 'C' Reserve 34111 (adjacent to Reserve 46 to the west) may be a better location for the Dunsborough Bay Yacht Club boatshed. Council resolved that a FMP should be prepared for Reserve 34111 in order to determine whether building the boatshed on Reserve 34111 is environmentally acceptable, and in line with the purpose of the Reserve and community expectations (Council Resolution C0501/020 is shown in Appendix 1).

1.2 Management Plan Mission Statement

Purpose

The purpose of this FMP is to provide an outline of how the coastal environment of Reserve 34111 can be managed to maintain its environmental values while providing opportunities for the realisation of some of the Reserve's recreational values.

Objectives

The objectives of this FMP are:

1. To identify the natural environmental values of Reserve 34111.
2. To discern management measures to preserve and enhance the environmental values of the Reserve.

3. To identify opportunities for development of recreational facilities, without compromising the environmental values of the Reserve.


Scope

The Scope of the plan is as follows:

- Outline the natural environmental attributes of Reserve 34111.
- Provide a response to the issues raised in Council's resolution (Appendix 1):
 - *determine a 12m x 12m site for a yacht club shed (adjoining or near by the professional fishermen's boat ramp);*
 - *necessary parking, access and public amenities;*
 - *ensure coastal and environmental issues are addressed; and*
 - *ensure appropriate consultation is carried out with stakeholders.*
- Provide a set of recommendations to ensure sustainable use and management of the reserve.

1.3 Location of Reserve

Reserve 34111 is located approximately 3km south east of the townsite of Dunsborough Western Australia. The Reserve is north of Geographe Bay Road between Tulloh Street and Robbies Close, Quindalup (Figure 1), abutting Reserve 46 located to the east.



1.4 Vesting and Purpose

Reserve 34111 is currently under the management of in the Shire of Busselton as a 'C' Class Reserve for the purpose of 'Recreation'.

Use of the reserve must be consistent with the purpose of the reserve and ancillary or beneficial to that purpose. Although the proposed yacht club development is not inconsistent with the reserve purpose, this management plan is prepared so that the proposed use is properly assessed having regard to its siting, extent of development and its effect on associated management of the reserve.

1.5 Surrounding land uses

As shown in Figure 1, the land on the south side of Geographe Bay Road for the length of the Reserve is residential. There are 17 residential blocks on the northern side of Geographe Bay Road directly adjacent to the Reserve in the western section. There is also a YHA Youth Hostel (formerly a primary school) located on Reserve 12066 (Lot 41) that abuts directly onto the Reserve to the west of the residential blocks. The old dilapidated tennis courts adjacent to the Youth Hostel are located on Reserve 23730 (Lot 16) which also contains some native coastal vegetation. In addition Reserve 24722 (Lot 17), a triangular shaped parcel of land located to the north of the residential blocks and to the east of the Youth Hostel. Although not technically part of Reserve 34111, all areas to the north of Geographe Bay Road that are Crown Land and in their natural state have been included in this FMP (ie. Reserve 24722 and part of Reserve 23730).

The Elmore Lagoon, a freshwater body of water, is located to the north (or seaward) side of the Reserve boundary at its western edge.

1.6 Planning Context

State Coastal Planning Policy

A Statement of Planning Policy: State Coastal Planning Policy (SCPP) (Western Australian Planning Commission, 2001) was released by the Minister for Planning and Infrastructure in April 2003. The SCPP is consistent with the vision, goal, principles, objectives and policies established in the draft Coastal Zone Management Policy for Western Australia and complements the *Statement of Planning Policy: Environment and Natural Resources Policy*, which requires planning strategies and schemes to identify and where appropriate, include provisions for the sustainable use of the coast.

The objectives of the SCPP are to provide for:

- protection, conservation and enhancement in areas of landscape, nature conservation, indigenous and cultural significance;
- public foreshore areas and access to these on the coast;
- the sustainable use of the coast for housing, tourism, recreation, ocean access, maritime industry, commercial and other activities in appropriate areas; and
- the location of coastal facilities and development that takes into account coastal processes including erosion, accretion, storm surge, tides, wave conditions, sea level change and biophysical criteria.

The SCPP includes methods for calculating appropriate setbacks to new coastal development on the Western Australian coastline.

Geographe Bay Foreshore Management Plan (GBFMP)

The GBFMP provides direction to the Shire of Busselton, developers and community groups by developing a framework for the future management, protection and preservation of the foreshore of Geographe Bay, for both reserves and private areas. The Management Plan for Reserve 34111 provides detailed recommendations for the Reserve which falls within the Quindalup Precinct of the GBFMP.

Dunsborough Structure Plan

Reserve 34111 is shown as Vegetation Protection on the Dunsborough Structure Plan.

Quindalup Special Character Area policy.

The Quindalup Special Character Area Policy plays a strong role in guiding planning decisions in this area. Reserve 34111 is discussed within sector 5 of the Policy. The following excerpts are of particular note and relevance to management of the reserve.

The maintenance and protection of this high quality public land is imperative.

The reserves and public lands serve to attract residents and visitors and there is a great sense of attachment and ownership of these vegetated areas by residents who often tend and care for them. Access to and through the environmental and recreational spaces provided in the Strip are a significant part of quality of life here and the essence of the Policy Area.

The ecology of the recreation reserves, particularly Toby Inlet and Geographe Bay, are unique and fragile. They are of great significance not only to the local ambience and beauty, but to the Shire and the State, serving as a part of the Leeuwin Naturaliste system. The slow pace of carefully directed development, the pedestrian scale of the built environment and the restriction of ecologically damaging recreational pursuits will continue to mean that urban development and the natural beauty of the area will not be forced into competition.

The rationalisation of these recreational lands into reserves vested in Council for the purpose of Foreshore Management will protect this public land without restricting current low key recreational uses.

3.5.2 Development Controls:

(i) That all recreational lands within the Quindalup Strip described in this Policy as Sector 5, be rationalised into two Reserves (to be vested in Council) for Recreation and Foreshore Management.

2. DESCRIPTION OF THE ENVIRONMENT

2.1 Topography

Reserve 34111 comprises a long narrow strip of coastal dunes ranging from 30m to 150m in width and is located between the Geographe Bay foreshore and Geographe Bay Road. The western section of the Reserve is relatively level and low lying, containing a shallow, water-filled depression known as 'Elmore Lagoon'. The eastern section of the Reserve contains wider, more established, vegetated dunes (up to 100m wide) in front of the Bayshore Resort. These dunes are higher and undulating.

2.2 Landform and Soils

Geographe Bay is protected from the prevailing southwesterly swell by Cape Naturaliste and by the broad, shallow inner continental shelf. The beaches in Geographe Bay are currently subject to a long-term accretion period (CoastWise, 2001).

The coastal dunes adjacent to the beach are part of the Quindalup Dune System and have been formed from the action of the ocean and wind on the coastal sands. The Quindalup Dune System is composed of calcareous sands which are generally well sorted and comprise white, medium grained rounded quartz and shell debris (Churchward and McArthur, 1980). Along this section of the Quindalup Dune System, the sand is generally unconsolidated but may be weakly cemented in places. In places, the sand has been stabilised temporarily by vegetation.

2.3 Vegetation and Flora

2.3.1 Assessment Methodology

ATA Environmental conducted a flora and vegetation survey on 29 and 30 March 2005. The principal purpose of the survey was to identify the type and condition of the vegetation at the site and compile a preliminary species list. The condition of the vegetation was assessed using the scale of Keighery published in Bush Forever (Government of Western Australia, 2000) and is mapped in Figures 2a and 2b. Keighery's condition rating scale ranges from Pristine (which the vegetation exhibits no visible signs of disturbance) to Completely Degraded (where the vegetation structure is no longer intact and without native plant species). Vegetation on the Reserve ranged from Excellent to Degraded condition. A description of the vegetation condition ratings for those conditions identified during the site visit are outlined below:

Excellent (2)

Vegetation structure intact, disturbance affecting individual species and weeds are non-aggressive species.

Very Good (3)

Vegetation structure altered, obvious signs of disturbance. For example, disturbance to vegetation structure caused by repeated fires, the presence of some more aggressive weeds, dieback, logging and grazing.

Good (4)

Vegetation structure significantly altered by very obvious signs of multiple disturbance. Retains basic vegetation structure or ability to regenerate it. For example, disturbance to vegetation structure caused by very frequent fires, the presence of some very aggressive weeds at high density, partial clearing, dieback and grazing.

Degraded (5)

Basic vegetation structure severely impacted by disturbance. Scope for regeneration but not to a state approaching good condition without intensive management. For example, disturbance to vegetation structure caused by very frequent fires, the presence of very aggressive weeds, partial clearing, dieback and grazing.

Completely Degraded (6)

The structure of the vegetation is no longer intact and the area is completely or almost completely without native species. These are often described as 'parkland cleared' with the flora comprising weed or crop species with isolated native trees or shrubs.

In addition, the survey was undertaken to identify the presence of any potential significant flora within the study area. It should be noted that the survey was undertaken in March due to the timing of the report. A full survey will need to be undertaken in spring to identify many annual species including potentially significant flora.

2.3.2 Vegetation Complexes

According to Smith (1973), 21 vegetation complexes are recognised in the Busselton and Augusta area, all belonging to five separate series or systems of plant associations. The Quindalup Foreshore Reserve is a part of the Boranup vegetation system, which extends from the Naturaliste-Leeuwin ridge towards the shores of Flinders Bay (Smith, 1973).

Smith (1973) noted that along the coastal sand dunes bordering Geographe Bay between Dunsborough and Busselton and in small sheltered pockets on the west and south coasts such as the Deepdene and south of Milyeaup Swamp, Peppermint grows to more than 10m tall, forming an Open Forest. Where it is most dense the understorey consists of the sedge *Lepidosperma gladiatum*. Along the Geographe Bay coast the understorey consists of *Acacia decipiens*, *Acacia cochlearis*, *Acanthocarpus preissii*, *Anthocercis littorea*, *Leucopogon australis* and *Lepidosperma gladiatum*.

2.3.3 Vegetation Types and Vegetation Condition

During the site visit in March, ten discrete vegetation types were identified and allocated a condition rating according to the condition scale provided in Section 2.3.1 (Figure 2a & 2b).

These vegetation types are outlined below (NB: * denotes introduced or non-endemic species).

FnTdCmEpShH

Herbland to Open Herbland dominated by *Ficinia nodosa*, **Trachyandra divaricata*, **Cakile maritima*, **Euphorbia paralias* and *Spinifex hirsutus* with occasional **Cyperus*

congestus, *Carpobrotus virescens*, *Lepidosperma gladiatum* and **Pelargonium capitatum* over an Open Grassland of **Lagurus ovatus* and **Cynodon dactylon* on sands. This vegetation type is located in the western sections of the Reserve (Figure 2a). There was evidence of disturbance and according to Bush Forever (Government of WA, 2000) the condition was considered to range from Good to Degraded.

AfLOW

Low Open Woodland of *Agonis flexuosa* with occasional *Callitris preissii*, *Allocasuarina fraseriana* and *Santalum acuminatum* over a Very Open Herbland dominated by *Lepidosperma gladiatum* and *Ficinia nodosa* over a Grassland dominated by **Stenotaphrum secundatum*. This vegetation type occurs on the southwest corner boundary of the Reserve (Figure 2a). There was low evidence of disturbance associated with this vegetation type and the condition was considered to range from Very Good to Good.

JkFnApSqOH

Open Herbland dominated by *Juncus kraussii* subsp. *australiensis*, *Ficinia nodosa*, **Atriplex prostrata* and *Sarcocornia quinqueflora* over a Very Open Grassland dominated by **Cynodon dactylon* on sands. This vegetation type is associated with Elmore Lagoon, the condition ranges from Very Good to Good (Figure 2a).

AfMrLOW

Low Open Woodland of *Agonis flexuosa* with scattered *Melaleuca raphiophylla* over a Low Open Shrubland dominated by *Alyxia buxifolia* and *Hardenbergia comptoniana* over a Herbland of *Lepidosperma gladiatum* over a Very Open Grassland dominated by **Stenotaphrum secundatum* on sands. This vegetation type is located east of Elmore Road on the southern boundary of the Reserve (Figure 2a). There was minimal disturbance associated with this vegetation type and it was considered to be in Very Good condition.

AfW

Woodland of *Agonis flexuosa* with occasional *Callitris preissii* over an Open Shrubland of *Acacia cyclops* with occasional *Acacia littorea* and *Hibbertia cuneiformis* over a Herbland dominated by *Lepidosperma gladiatum* and *Acanthocarpus preissii* over an Open Grassland of **Lagurus ovatus*, **Avena fatua* and *Amphipogon turbinatus* on sands. This vegetation type is located in the middle of the Reserve (Figure 2a & 2b). Although there was evidence of disturbance associated with this vegetation type and it was considered to be in Very Good condition.

AfEgLOW

Low Open Woodland of *Agonis flexuosa* with occasional *Eucalyptus gomphocephala* over a Shrubland dominated by *Spyridium globulosum* and *Acacia littorea* with scattered *Acacia cyclops* and *Olearia axillaris* over a Closed Herbland dominated by *Lepidosperma gladiatum* with occasional **Pelargonium capitatum* over introduced annual species. This

vegetation type dominates the eastern section the Reserve, condition ranges from Excellent to Good (Figure 2b).

TdLOS

Low Open Shrubland of *Tetragonia decumbens* with scattered *Acacia cochlearis* over a Herbland dominated by *Spinifex hirsutus*, **Trachyandra divaricata*, **Asphodelus fistulosus* with occasional **Pelargonium capitatum*, *Cassythia racemosa* and **Cakile maritima* over a Very Open Grassland of **Vulpia myuros* and **Thinopyrum distichum* on sands. This vegetation type is located on the north (seaward) side of community type AfEgLOW along the coast, the condition ranged from Good to Degraded.

MIAfLOW

Low Open Woodland of *Melaleuca lanceolata* and *Agonis flexuosa* over an Open Herbland dominated by *Lepidosperma gladiatum*, **Atriplex prostrata* and **Cakile maritima* over a Very Open Grassland dominated by **Cynodon dactylon* on sands. This vegetation type is located between Elmore Lagoon and the Youth Hostel, the condition is Good (Figure 2a).

PS

Planted **Pinus radiata*, **Schinus terebinthifolia*, *Allocasuarina fraseriana*, *Melaleuca lanceolata*, **Eucalyptus platypus* subsp. *platypus* and **Olea europaea* with *Agonis flexuosa* over an Open Grassland dominated by **Cynodon dactylon* on sands. This vegetation type is associated with the gardens of private residences along the northern side of Geographe Bay Road (Figure 2a). It is predominately comprised of planted, exotic landscape species. This vegetation type is significantly disturbed and is considered to be in a Degraded condition.

PSS

Planted species of **Eucalyptus leucoxylon* subsp. *leucoxylon* **Leptospermum laevigatum*, **Melaleuca nesophila*, *Callitris preissii*, **Melia azedarach*, **Nerium oleander*, **Pinus radiata*, *Hibbertia cuneiformis*, **Lavandula stoechas* and **Pelargonium capitatum* on sands. This vegetation type is associated with the gardens of private residences along Geographe Bay Road (Figure 2a & 2b). It comprised of predominately planted species and a variety of exotic landscape plantings. There was evidence of heavy disturbance and the condition was considered to be Completely Degraded.

2.3.4 Floristic Community Types

Based on floristic data collected during the March 2005 survey, the vegetation types within Reserve 34111 are inferred to be representative of one Floristic Community Type (FCT) (Gibson *et al.*, 1994):

- Floristic Community Type 30b – Quindalup *Eucalyptus gomphocephala* and/or *Agonis flexuosa* Woodlands.

This FCT is not listed as a Threatened Ecological Community (TEC) by English and Blythe (1997) nor does it appear on the Department of Conservation and Land Management (CALM) list of TECs or on the Endangered Community List under the Department of Environment and Heritage's *Environment Protection Biodiversity Conservation Act 1999*.

2.3.5 Flora

A total of 68 plant species were recorded in Reserve 34111 on 29 and 30 March 2005. The total includes three Gymnosperms, 16 Monocotyledons and 49 Dicotyledons. The flora assessment was undertaken at a time when the majority of ephemeral species such as lilies and orchids would not have been recorded as they only emerge in spring. As such the flora list is considered to represent at least 80% of the species likely to occur within the Reserve.

A full list of species recorded in Reserve 34111 is provided in Appendix 2. Of the 68 plant species recorded, 34 (50%) were native and 34 (50%) were introduced or non-endemic plant species. Families with the highest representation of taxa were Poaceae (Grass family – eight taxa; one native and seven introduced), the Asteraceae (Daisy family – six taxa; six introduced) and the Myrtaceae (Myrtle family – eight taxa; four native, four introduced).

Nerium oleander, *Melia azedarach*, *Eucalyptus leucoxylon* subsp. *leucoxylon*, *Eucalyptus platypus* subsp. *platypus*, *Melaleuca nesophila*, *Adenanthos cygnorum* and *Grevillea argyrophylla* were recorded in the Reserve and are therefore found to be occurring outside their previously recorded range, as documented by the West Australian Herbarium (2005). It is most likely that these taxa were planted.

2.4 Wetlands

There is one wetland adjacent to Reserve 34111 on the northern (seaward) side; this is locally referred to as Elmore Lagoon due to its proximity to Elmore Road. The boundary of the Reserve excludes the wetland; this is more than likely because the wetland was once part of the ocean (Dunsborough Coast and Landcare (DCALC), 2004).

According to the DCALC (2004) the Elmore Lagoon was originally connected to ocean and was used by small boats as a safe anchorage until 1986. Since then the long term pattern of accretion of the coastline in this area caused the closure of the lagoon from the ocean. A small dune has formed between the lagoon and the ocean preventing seawater from entering the lagoon (except in occasional severe winter storms) (DCALC, 2004). Following this rainwater, runoff and stormwater have gradually diluted the marine pond. There is no detailed information available on the hydrology and salinity of the water in the pond.

Information supplied by the DCALC indicates that the Elmore Lagoon has not dried out completely since it was cut off from the ocean in 2000. Considering this it is possible that water could be seeping into the pond from either groundwater moving towards the ocean or from seawater seeping into the lagoon.

It is known that the Elmore Lagoon is utilised by many bird species (as detailed in Section 2.5 of this report with species listed in Appendix 3).

2.5 Fauna

There is no detailed survey information on the species that inhabit Reserve 34111. However, the vegetation and landform of the Reserve are fairly typical of the Quindalup foreshore and species that are likely to be present can be deduced from those found in nearby areas.

It is likely that the Reserve supports the Western Ringtail Possum (*Pseudocheirus occidentalis*) which favours Peppermint vegetation. The foreshore is important for this species as the Reserves containing Peppermint Trees form a connected corridor along this section of the coast. The Western Ringtail Possum is protected by the Commonwealth *Environment Conservation and Biodiversity Conservation Act 1999* (EPBC Act), it is listed as Vulnerable. It is also protected under the *Western Australian Wildlife Protection Act 1950*, where it is listed as Schedule 1.

It is likely that the Western Ringtail Possum is the only species of significance (that is protected by either the *Western Australian Wildlife Protection Act 1950* or the Commonwealth EPBC Act) that would inhabit Reserve 34111.

There is anecdotal evidence from Quindalup residents that Quenda or Southern Brown Bandicoot (*Isodon obesulus*) are present in the reserve. Despite suffering a reduced range since the introduction of foxes this species is widespread on the coastal plain of the South West. It is no longer listed under schedule 1 of the *Western Australian Wildlife Conservation Act* but none the less is a significant find for the site which adds to the reserve's importance for fauna habitat.

Opportunistic observations by DCALC during summer 2003 recorded over 300 birds using Elmore Lagoon. These include both marine and fresh water species (Appendix 3).

The Great or White Egret and the Cattle Egret are listed marine species protected by the EPBC Act (Listed – overfly marine area), however it is not known what type of Egret was (Appendix 3) (there are four species of Egret that could occur in the area). Notwithstanding, Elmore Lagoon would not be considered a crucial habitat for these two species of protected Egret as they are listed as “overfly marine area” and there are other much larger bodies of freshwater in the area such as Toby Inlet.

2.6 Feral Animals

It is likely that some feral animals use Reserve 34111, particularly feral cats, foxes and rabbits inhabiting nearby vegetated reserves. Some of the bird life, particularly juveniles, associated with the Elmore Lagoon is susceptible to feral animal attacks. DCALC observed six dead Swans in 2004 and two to date in 2005. It is possible that these Swan deaths were the result in some instances of feral cat and fox attacks.

3. HUMAN USE ATTRIBUTES

3.1 Historical Land Use

According to Coastwise (2001) archaeological investigations have shown that people occupied the Geographe Bay area at least 47,000 years ago. At the time of European settlement of the area the Geographe Bay foreshore was part of the traditional territory of the Wardandi group. There are presently two Native Title claims that cover the Geographe Bay coastline, namely the Harris Family and South West Boojarah (Coastwise, 2001).

A search of the Register of Aboriginal Sites on the Department of Indigenous Affairs website was conducted on 11 May 2005. There is one site listed that could occur in the western portion of Reserve 34111, called 'Quindalup Camping Ground' (Site ID 20017).

Reserve 34111 and the surrounding area have been in use by non-indigenous settlers for more than 100 years. Quindalup was established in 1866 and was the primary settlement in the region with timber as the main industry. The settlement consisted of a school, post office, police station, store and community hall, only the school remains to the present day. The school was built in 1905 (now used as a YHA Youth Hostel). The school operated until the 1960's when a new school was built in Dunsborough. The school was relocated due to the encroaching sea, not long after this the pattern of accretion started that continues today.

There is also an old hand pump in the reserve which is considered to be part of the Heritage of this area.

3.2 Recreational Attributes

During the 1990s the Shire constructed a DUP through the western section of the Reserve connecting Quindalup to Dunsborough. Local residents and tourists use it extensively as a walking and cycling path.

There are numerous informal beach access paths that cross the Reserve from nearby residences. The beach is used by residents from the surrounding areas and tourists for general beach activities such as swimming, fishing, boating, beach combing and dog walking.

A boat ramp located in the eastern section of the Reserve and referred to as the 'professional fishermen's boat ramp' is used in the main by local professional fishermen to access their boats moored in that part of Geographe Bay. This boat ramp and its associated informal gravel car park are also used by a number of local charter businesses.

Directly north of the professional fishermen's boat ramp is an area of deep sheltered water that is the most popular area for boat moorings in the Dunsborough-Quindalup area of Geographe Bay (Figure 1). According to the Dunsborough Bay Yacht Club the area contains some 80-90 moorings and there can be up to 100 boats moored in the area over the New Year period. There are two transportable toilets located in the car park adjacent

to the professional fishermen's boat ramp that currently serve as ablution facilities for this boat mooring area.

The associated car park can hold approximately 22 cars (without trailers) and is often full during the summer months (Grist, R. and D. Pers. comm., 30 May 2005; Fogarty N. Pers. comm., 31 May 2005; Thomas, R. Pers. comm., 31 May 2005). The capacity is often diminished during this critical period due to haphazard parking and trailers obstructing access.

Car parking has recently been prohibited on Geographe Bay Road however no additional parking has been provided in the area resulting in cars and trailers being parked among bushes near to the car park (Grist, R. and D. Pers. comm., 30 May 2005; Thomas, R. Pers. comm., 31 May 2005).

The car park is used by patrons and staff associated with the following purposes:

- whale watching tours (up to 40 people on board);
- deep sea fishermen;
- scuba diving charters;
- boat charter companies (up to 30 people on board); and
- boat owners who moor in Geographe Bay during the summer months and also have a car to drive during their stay.

3.3 Recreational Opportunities – Dunsborough Bay Yacht Club Boatshed

At the request of the Shire of Busselton, a community workshop was conducted by Janet Payton on Monday 25 October 2004. The community groups that attended the workshop were:

- Dunsborough Bay Yacht Club;
- Toby Inlet Catchment Group;
- Quindalup Strip Residents Association;
- Dunsborough Progress Association;
- Busselton/Dunsborough Environment Centre; and
- Dunsborough Coast and Land Care.

Specific sites for the proposed boatshed were discussed and it was decided that the only sites that warranted consideration were Reserve 34111 and neighbouring Reserve 46. The report prepared by Janet Payton summarising the community consultation workshop is included as Appendix 4.

With the exception of the Quindalup Strip Resident's Group all participants agreed that the sites designated within Reserve 34111 could be a suitable location for a boatshed for the Dunsborough Bay Yacht Club.

At a site meeting on 26 April 2005, two possible locations for the proposed boatshed on Reserve 34111 in the Dunsborough Bay Yacht Club's preferred area for the boatshed were identified, these will be referred to as Site A and Site B and are marked on Figure

3b. The reasons Dunsborough Bay Yacht Club have cited these as being their preferred sites are as follows:

- At the community workshop most parties agreed the area was suitable when the site was walked over by the workshop attendees (Fogarty, Noel. Pers. comm., 13 April 2005).
- The open water just east of the professional fishermen's boat ramp and boat mooring area is as suitable for racing GP 14s as the water near the Quindalup boat ramp where races are currently held (Fogarty, Noel. Pers. comm. 13 April 2005).
- It is one of the most elevated areas in Reserve 34111, and it would be high enough to view races from the deck of the proposed boatshed.
- GP14 sailing dinghy's can be launched from the boatshed via the White Sands beach access path to the beach.
- The race control boat and rescue boat can be launched at the existing professional fishermen's boat ramp, which can be accessed from the proposed boatshed through the car park.
- Water and power can be connected to the site via the White Sands beach access track.
- The proposed boatshed will be visible from ocean but will not be visible from Geographe Bay Road due to Peppermint vegetation and height of the dunes thereby protecting visual amenity.
- Boats moored in this area of Geographe Bay can use the amenities associated with the Dunsborough Bay Yacht Club boatshed. The Dunsborough Bay Yacht Club have expressed a commitment to maintain the ablution facilities adjacent to their shed in a similar capacity to how the Sea Rescue volunteers maintain the ablution facilities at the Quindalup boat ramp in Reserve 46.

As part of the process of developing this FMP for Reserve 34111, consultation with the Dunsborough Bay Yacht Club was conducted on 13 April and 26 April 2005. The reasons the Dunsborough Bay Yacht Club have cited for proposing a boatshed in either Reserve 46 or Reserve 34111 and the proposed uses of the boatshed are summarised below:

- The club hosts races in the GP 14 category on Sundays over summer. A GP 14 is a 14 ft open dinghy with a sail that is operated by two people. The club has approximately 15 GP 14's on its register. Races currently take place near the Quindalup boat ramp in Reserve 46, the boats are currently transported to the races by vehicle on trailers. The club would store their GP 14's, two 15-16 ft race support power boats and associated equipment in the proposed shed.
- Beach access is required for the GP 14 boats (GP 14's are on trailers that can be pushed over sand and boats can be launched from the beach) and boat ramp access is required for the race support and safety boats.

- Members of the club would observe the races from the viewing deck of the shed.
- Yearly race competitions are held in Geographe Bay with the Mounts Bay Yacht Club in the GP 14 category and the shed could be used as a base for this competition.
- The club recently hosted the State GP 14 competition in March 2005 and the shed could be used as a base for future competitions.

As previously mentioned the car park associated with the professional fishermen's boat ramp is informal and considered to be inadequate (Section 3.2). The proposed sites selected by the Dunsborough Bay Yacht Club are dependent on the car park being extended in an easterly direction (Figure 3b).

3.4 Coastal Processes Setback

The coastal environment is highly susceptible to degradation and destabilisation without proper management and controlled access. Delineation of a development setback will ensure long term security for developments along the coast and protect the coastal environment while providing for public use and enjoyment of the area. The best way to ensure that coastal areas are protected is to set development back from the coast to create a natural buffer area to protect the dunes and provide space to accommodate a variety of anticipated recreational pursuits and facilities.

Coastal stability is the most important factor in determining the width of a setback necessary to protect development from coastal processes and sea level change. When considering stability, it is necessary to differentiate between long-term erosion or accretionary trends, and the natural short-term variability of a dynamic system.

As previously mentioned (Section 1.6), the Western Australian Planning Commission's Statement of Planning Policy No. 2.6 (State Coastal Planning Policy 2003) provides guidance on the recommended setback distances to new coastal development on the Western Australian coastline. Schedule One of the SCPP outlines the recommended criteria to assess the required setback to provide for the physical coastal processes.

The specific objectives of the SCPP (WAPC, 2003) are to:

- absorb the impact of a severe storm sequence;
- allow for shoreline movement;
- allow for global sea level rise; and
- allow for the fluctuation of natural coastal processes.

For most localities in Western Australia, the assessment of coastal stability is hindered by a lack of long-term data and evidence. It has therefore, become common practice for coastal studies to base stability predictions on shoreline movement plans derived from aerial photographs which indicate past shoreline positions.

The permanent vegetation line and the high water line are plotted for each year using surveying techniques. The individual permanent vegetation lines over the 50-year time span covered by photogrammetry are used to indicate total movement of the vegetation

line from which conclusions can be drawn as to the stability of the coastline. The permanent vegetation line is used as the basis for determining coastal stability, as this is not subject to tidal and barometric fluctuations.

For the general case of development on an undeveloped sandy shoreline such as is found at Quindalup Reserve 34111, the SCPP recommends using the following criteria to calculate the appropriate coastal setback to development:

- S1: Acute short-term erosion resulting from the severe storm sequence, with elevated water levels and an ARI of approximately 100 years.
- S2: Chronic long-term trends in shoreline movement caused by the coastal dynamics of the area. This needs to provide a buffer for the coming 100 years.
- S3: Possible erosion resulting from Climate Change and associated sea level rise in the coming 100 years. The SCPP recommends allowing for a sea level rise of approximately 0.38m.

It is found in the majority of cases that after this assessment is undertaken a total setback of at least 100m from the horizontal setback datum (HSD) is generally applied.

It is quite clear that neither of the sites proposed by the Dunsborough Bay Yacht Club (Sites A and B see Plate 1) meets this standard SCPP setback requirement as they are both located on the seaward side of the permanent vegetation line or in close proximity to it.

The Dunsborough Bay Yacht Club contend that the function required from the proposed boatshed (that is access to the shoreline and viewing races) cannot be satisfied at the 100m general setback distance as prescribed by the WAPC (WAPC, 2003).

According to members of the Dunsborough Bay Yacht Club, Site A is the preferred location for the shed because it is the highest point in the immediate area however as part of the consultation process the members have indicated they would be equally satisfied with Site B.

The major drawback of Site A is the feasibility of constructing vehicular access to the back or side of the shed. There is a significant depression behind Site A that contains Peppermint Trees and it is most likely these trees would be lost due to engineering requirements if the proposed shed were located at Site A.

Site B is located to the west of the White Sands access track where the ground level is relatively uniform and similar to the levels of the existing car park. The footprint of the shed at Site B does not contain any Peppermint Trees, however there are trees adjacent to and behind Site B that would help the shed appear to assimilate into its surrounding environment. The construction of the shed at Site B would result in less clearing of and disturbance to native vegetation.

Both Sites A and B are approximately the same distance from the ocean, however there is always some risk of ocean encroachment, particularly in the event of an extreme winter storm or in an area that may be subject to severe erosion during an erosion cycle.

Based on the limited scientific information available regarding coastal stability in the area and in the absence of a Coastal Stability Assessment having been undertaken by a coastal engineer, neither Site A nor Site B can be considered an appropriate location for the boatshed from an environmental perspective given the known environmental constraints.

During the formal consultation phase of the development of this management plan Department of Planning and Infrastructure stated that;

"A proposed structure of this nature is exempt from the outlined coastal processes setback requirements under schedule one G (a) of SPP 2.6 provided the developments are temporary easily relocatable structures that are demonstrably coastally dependant."

As the State Coastal Planning Policy was the policy basis for rejection of the boatshed site but interpreted by DPI differently it was decided that Council could consider siting of a boatshed on Reserve 34,111

Site B is the preferred site for the location of a small boatshed facility and associated infrastructure within reserve 34111. The exact location would need to be determined via the Shire's Development Application process. As part of Council resolution CO512/408, that resulted in the adoption of this management plan, Council resolved:

That an application to Council for the development of a boatshed on Reserve 34111 be subject to the inclusion of the following information and recommended conditions on any approval:

(a) A coastal engineer undertake a coastal stability assessment for the subject area to produce a shoreline movement plan. This Assessment will determine the appropriate setback of coastal facilities being constructed within the foreshore reserve.

(b) Prior to any development, so that no site of indigenous significance is damaged or altered, it is recommended that suitably qualified consultants be engaged to conduct ethnographic and archaeological surveys of the area. This should ensure that all Aboriginal interests and groups are consulted so that all sites on the designated land are avoided or identified.

*(c) Prior to the approval of developments that involve the removal of peppermint vegetation, the impacts on WRT possum should be assessed by a suitably qualified and experienced biologist in respect to the obligations under the EPBC Act. The development should not impact on the values of the vegetation as fauna habitat and movement corridors and ensure revegetation works, if required, consider provision of continuous canopy cover of *Agonis flexuosa*. (d) A traffic generation study for consideration of the proposals impact.*

(e) The proposal being consistent with SPP2.6 Schedule 1 section G clause (b) (Temporary, easily relocatable structures, that are demonstrably coastally dependent),

(f) A suitable leasing arrangement being drawn up that reflects the objectives of exemption (b) section G of Schedule 1 of SPP2.6 and clearly identifies the Dunsborough Bay Yacht Club as the entity responsible for maintenance of the boatshed and the level of maintenance expected for it's associated facilities and that there be no further expansion of the facility or commercial operations permitted.

(g) The development application submitted for consideration including the shed, it's surrounds, access to and from the beach, the DUP and car parks, the area around the toilets and the area required for parking

(h) An approval should be subject to an appropriate lease agreement that indemnifies the Shire from any costs or liabilities associated with storm damage or coastal erosion processes.

(i) That Council adopt the Management plan for reserve 34111 including the Council endorsed site B for the DBYC boatshed

(j) The provision of adequate parking and public toilets

(k) How the proposal complies with the Quindalup Special Character Area Policy

3.5 Provision of Coastal Facilities

Access and infrastructure in recreational areas is of high importance both to residents and tourists of the foreshore reserve; however this must be managed in such a way so as to preserve the ecological integrity of the foreshore reserve. Formalising and upgrading access and facilities can sometimes attract increased use of the area that may, without proper and considered management, result in degradation of environmentally sensitive areas. Inappropriate location and design of tourism and recreational facilities also has the potential to adversely impact on the coastal environment.

As part of this Plan, the provision and maintenance of access and infrastructure along the Quindalup foreshore are designed to:

- provide an appropriate level of access whilst preserving the ecological values of the Reserve; and
- facilitate appropriate recreational facilities by assisting in/or providing suitable resources and infrastructure.

3.6 Educational Uses

Reserve 34111 is not currently used for formal educational purposes.

3.7 Heritage and Cultural Values

The heritage and cultural values of Reserve 34111 are described in Section 3.1 of this Plan.

4. MANAGEMENT OBJECTIVES

4.1 Conservation

The management objectives in relation to conservation are as follows:

1. Preserve and enhance native vegetation (fauna habitat) of the Reserve.
2. Minimise landscape modification.

4.2 Recreation

The management objectives in relation to recreation are as follows:

1. According to Council's resolution (Appendix 1), find a suitable site for a boatshed for Dunsborough Bay Yacht Club in Reserve 34111.
2. Provide an appropriate level of facilities and amenities for the public utilising the Reserve without compromising the conservation attributes.

4.3 Education

The management objectives in relation to education are as follows:

1. Identify any opportunities for education.
2. Investigate the use of interpretive signage at appropriate sites on the Reserve.

4.4 Fire Management

The management objectives in relation to fire are as follows:

1. Ensure any facilities approved for siting on Reserve 34111 have appropriate fire fighting equipment in place.

5. MANAGEMENT PLAN

5.1 Remnant Vegetation

The vegetation of Reserve 34111 is in relatively good condition (with minimal management and protection to date). The majority of the vegetation and the best quality vegetation are located in the eastern half of the Reserve where the vegetation strip is wider and the dunes are older and more stable. The Reserve is crossed regularly with informal beach access paths from the residences located to the south of the Reserve boundary.

Reserve 34111 is sheltered from the prevailing south westerly winds due to its location in Geographe Bay consequently the informal beach access paths that the public have created are not currently causing any significant destabilisation of the dune structure.

Currently, there are no fences to prevent or discourage pedestrians from walking over the dune vegetation. On the southern side of the Reserve the vegetation is thick and the dunes rise sharply away from the road and DUP in many places, forming a natural barrier. However, on the northern side of the Reserve (adjacent to the beach) the dunes and vegetation are more fragile and susceptible to degradation. Some fencing and/or brushing is considered to be appropriate in this area, particularly around high pedestrian traffic areas such as in front of the resorts and in the area of the professional fishermen's boat ramp. If the car park is extended, some paths to the beach from the car park and proposed Dunsborough Bay Yacht Club boatshed should be formalised and fenced to encourage the retention of the vegetation (and in turn dune structure) on the narrow strip between the car park and the beach. Choice of fencing materials should be chosen to blend in with the environment wherever possible.

The primary function of the reserve is to act as foreshore to the Quindalup area. The vegetation, which is in relatively good condition, performs an important buffering function by protecting the residential areas from coastal processes and storm events. The classification of the reserve is currently 'Recreation'. It is recommended that the purpose of the reserve be changed to include 'Foreshore Protection' to recognise this as the primary function of the reserve.

Management Recommendations

- M1** Retain natural vegetation and landform (dunes) wherever possible and ensure revegetation works consider provision of continuous canopy cover of *Agonis flexuosa*.
- M2** Localise construction of buildings and car parks in designated areas within the Reserve.
- M3** Prevent pedestrian access to sensitive dune vegetation through the installation of appropriate fencing and brushing.
- M4** Prevent vehicular access to beach and dunes through the installation of appropriate fencing.

- M5** Change the purpose of the reserve to 'Foreshore Protection and Recreation' to give recognition to the flora and fauna values of the reserve."
- M6** Prior to Council support for development on the reserve the Shire should seek powers to lease over the development area.
- M7** Ensure revegetation efforts provide adequate representation of suitable habitats for the animal species present. Conduct a fauna survey to determine requirements/effectiveness of the revegetation.

5.2 Elmore Lagoon Wetland

The conservation of the Elmore Lagoon as an avian fauna habitat has been raised as an important issue by DCALC. The DCALC group have a particular interest in the Elmore Lagoon and prepared a draft management plan in 2004 that was submitted to the Shire of Busselton for comment (06/04/2004). In summary, the DCALC (2004) proposed the Elmore Lagoon should be protected as a nature/bird sanctuary. Some of the measures proposed by the DCALC include:

- *no boating or fishing be allowed;*
- *manage weeds appropriately;*
- *stormwater should be excluded to maintain water quality;*
- *breeding habitat for birds should be enhanced (eg. dead trees could be placed on banks of the lagoon to provide shelter for nesting);*
- *appropriate signage should be erected (eg. Prohibiting the feeding of birds; and*
- *access should be managed (eg. Log railing could be erected in places preventing access in some of the more sensitive locations).*

In discussions with the DCALC some other potential management measures proposed include the following (Glencross, Ron. Pers. Comm. 2005):

- creating a deeper channel around the island that appears in the Lagoon at high tide to create a permanent water bird haven;
- implementing measures to prevent dogs that are not on leashes from chasing avian fauna (eg. visual barriers such as re-vegetation between the DUP and the Lagoon); and
- installing a raised boardwalk to allow pedestrian traffic to the beach to take the shortest route without destroying the wetland vegetation (reeds etc).

There is no information available regarding the hydrology of the Elmore Lagoon. According to CoastWise (2001) the Elmore Lagoon has experienced algal blooms, fish deaths and odours. However the DCALC considers that the odours and fish deaths were associated with seaweed breaking down at a time when the lagoon was still connected to the ocean. The DCALC maintain that odour has not been problem since the lagoon was cut off from the ocean by the movement of sand (Glencross, Ron. Pers. Comm. 2005).

As Elmore Road lagoon is transient in nature it is not recommended that there be investment in expensive infrastructure such as hides and boardwalks.

Management Recommendations

- M8** Investigate installing gross pollutant traps on stormwater pipes at point of entry to the Lagoon.
- M9** Erect appropriate signage at strategic points around the Lagoon to discourage bird feeding.
- M10** Prohibit further development on the Reserve within 50m of the riparian vegetation surrounding the Lagoon.
- M11** Install appropriate fencing or a dense vegetative buffer between the Lagoon and the DUP to increase habitat function and visual amenity of the Lagoon.

5.3 Feral Animals

Anecdotal information provided suggests that juvenile native fauna, particularly in the vicinity of Elmore Lagoon, are being killed by either dogs, foxes or feral cats. Management strategies for feral control may be required. Any sightings by the public of killed or maimed native fauna should be reported to the CALM in the first instance.

Management Recommendations

- M12** In consultation with CALM, undertake trapping exercises to eradicate feral animals on an 'as needs' basis.

5.4 Weed Control

The disturbed nature of portions of the Reserve and the surrounding land uses mean that weeds such as grasses will always pose a problem in the management of the Reserve (refer Appendix 2 for introduced weed species). Localised management of these weeds can enhance natural regeneration.

If the Shire of Busselton aims to pursue a weed control program, resources should be focused towards eradicating that introduced species that occur along the Foreshore Reserve having the greatest potential to invade other areas and compete with native species. Such species include *Avena fatua* (Wild Oats), *Cynodon dactylon* (Couch Grass), *Stenotaphrum secundatum* (Buffalo Grass), and *Vulpia myuros* (Rat's tail fescue). It is not considered necessary to remove exotic trees such as *Araucaria heterophylla*, which have established over a long period of time. However, more invasive exotic species such as *Schinus terebinthifolia* (Japanese Pepper) should be considered for removal.

The appropriate methods to eradicate and control major weed species recorded within the Reserve area are outlined below (Scheltema and Harris, 1995; Moore and Wheeler, 2002). Up-to-date information regarding herbicides and application rates should be sought from the Department of Agriculture Western Australia and Geocatch prior to implementing weed control programs.

In the vicinity of Elmore Lagoon wetland proper, herbicide use should be in accordance with the Water and Rivers Commission recommendations contained in 'Herbicide Use in Wetlands' – Water Note WN22 (Water and Rivers Commission, 2001).

Management Recommendations

M13 Implement ongoing weed control within the Reserve according to the appropriate methods with preference given to manual removal of weeds or spot applications.

M14 In the vicinity of Elmore Lagoon, herbicide use should be in accordance with the Water and Rivers Commission 'Herbicide Use in Wetlands'.

**TABLE 1
CONTROL METHODS FOR WEED SPECIES**

Weed Species	Method	Notes
Wild Oat (<i>Avena fatua</i>)	3,4	Easy to control. Use 2L Fusilade per hectare for blanket spraying.
Couch (<i>Cynodon dactylon</i>)	3,4	Mainly in highly disturbed areas. Use Roundup Bioactive or other environmentally sensitive herbicide suitable for areas adjacent to water late spring to autumn. Best to spray after fire. Several applications may be necessary.
Buffalo Grass (<i>Stenotaphrum secundatum</i>)	3,4	Mainly in disturbed areas. Spray with Roundup Bioactive in late summer in areas where the grass coincides with native plants.
Rat's tail fescue (<i>Vulpia myuros</i>)	3,4	Use 2L Fusilade per hectare for blanket and spot spraying. Alternatively Kerb may be used.
Bridal Creeper (<i>Asparagus asparagoides</i>)	1,2,3	Manual control is difficult. Introduce the rust fungus <i>Puccinia Myriophylli</i> or use low rates of Metsulfuron. Repeat applications are necessary.
Olive (<i>Olea europaea</i>)	1,2,3	Spot spray young seedlings with Glyphosate. Older trees (2years+) spot spray with Garlon 600 – 8ml in 5L water. Paint stumps with undiluted Garlon or stump injecting using neat Glyphosate.
Arum Lily (<i>Zantedeschia aethiopica</i>)	1,2,3	Difficult to dig out in most sites. Spot spray April-Nov when plants are 8-12cm high. Respray 2 months later. Use Mesulfuron or Chlorsulphuron.
Japanese Pepper (<i>Schinus terebinthifolia</i>)	1,2	Seed spread by birds, very difficult to control. Cut down the tree and immediately paint freshly cut surface with Glyphosate, or try Velpar or Garlon. Follow-up treatment is essential. In wetland areas treat when water recedes and plants are not waterlogged. Check for seedlings yearly and remove.

- Method of Control:
1. Handweeding, pulling, digging
 2. Herbicide wipe, stem injection, cut stump
 3. Spot spraying
 4. Blanket spraying

5.5 Access

5.5.1 Car Parking

At present, informal car parking is available at two locations: adjacent to the professional fishermen's boat ramp and at the coach pullover adjacent to Elmore Lagoon opposite Elmore Road/Geographe Bay Road intersection. Both car parks are constructed of gravel. No bays within either of the car parking areas are marked.

Provision for additional car parking at the professional fishermen's boat ramp has been identified in this Plan (refer Figure 3b) to accommodate an increased level of beach use associated with the proposed building of the Dunsborough Bay Yacht Club boatshed. Current capacity is approximately 22 cars (without trailers). In addition, it is recommended that the existing car parking area adjacent to Elmore Lagoon be upgraded to accommodate the anticipated increase in foreshore use over time and to reduce dust emissions.

Management Recommendations

- M15** Increase the capacity of professional fishermen's boat ramp car park subject to the Dunsborough Bay Yacht Club proposal being approved.
- M16** Upgrade the Elmore Lagoon car park to reduce dust emissions.

5.5.2 Beach Access Paths

Access to the beach is currently via informal paths that cross the Reserve (refer Section 3.2). Entry points to beach access paths will be located from the DUP, Geographe Bay Road and car parking areas within the Reserve and will comprise crushed limestone/compressed gravel paths.

All beach access paths will be appropriately aligned to avoid problems of undermining and sand movement by wind action. Sections of paths close to the beach and exit points will be orientated to be perpendicular to the prevailing summer winds to minimise management requirements.

The indicative location of beach access paths is shown in Figures 3a and 3b. The legend on Figures 3a and 3b distinguishes between high use paths to be formalised and low use paths to be monitored.

The status of all tracks leading from lots north of Geographe Bay Road, except for the Youth Hostel, is to be "Low use Monitor" as these paths are generally only used by one landholder and there is no feeder path along the front of the lots which can be used to channel pedestrians to formalised paths.

Management Recommendations

- M17** Formalise high usage beach access paths by surfacing with crushed limestone to reduce wear on the track and encourage pedestrians to stay on the path.

- M18** Install appropriate fencing and brushing to prevent pedestrians veering off of designated beach access paths.
- M19** Monitor low usage paths to determine whether or not formalisation or closure is more appropriate
- M20** Close off paths marked in pink or not shown in figure 3a and 3b with fencing and rehabilitate

5.5.3 Dual Use Path

The existing dual use path (DUP) provides a scenic walk and/or cycleway for the public along the landward side of the Reserve.

Minimising disturbance to vegetation and dune form has been addressed in the alignment of the DUP, and as a result, the path meanders according to the topography and avoids areas of good quality vegetation where possible.

The surface and width of the DUP is in keeping with the specifications of the Shire of Busselton. It is recommended that sections of the DUP be fenced to prevent random access into the foreshore reserve.

The indicative location of recommended fencing of the DUP is shown in Figures 3a and 3b.

Management Recommendations

- M21** Fence sections of the DUP to prevent random access into the Reserve.

5.5.4 Fencing

The installation of fencing (from bollards to post and wire mesh fencing) along beach access paths, the dual use path and car parks will assist in protecting the fragile dune landform and vegetation. The installation of fencing in these areas will provide a balance between maintaining the stability of the dunes and retaining the aesthetic value of the area. The type of fencing is likely to include standard 1m high pine log interspersed with wire mesh, however the specifications will be in keeping with the Shire of Busselton's standard specification.

At the beach end of the access paths the installation of fencing will need to take into account the dynamic nature of the coast. In general, fencing close to the beach within the frontal dunes is often buried due the cumulative effect of inappropriate alignment, lack of maintenance and natural processes. The installation of temporary, transportable fencing to provide the primary function of restricting access is a feasible and practical option. A common and effective method of restricting access to the primary dunes (either parallel to the coast or at the beach end of access paths) is to install tripod type bollards connected by wire mesh which can be moved according to seasonal patterns of shoreline movement and dune development.

Management Recommendations

- M22** Install appropriate fencing along beach access paths, the DUP and car parks to protect vegetation and landforms (dunes).
- M23** In areas exhibiting signs of degradation, consider installing temporary, transportable fencing to restrict access from the beach across primary dunes.

5.5.5 Signage

The installation of signs within the Reserve will be used to advise of rehabilitation measures undertaken, to request public cooperation, to direct people to pathways and to restrict certain activities.

In addition, public awareness of the value of the wetland and surrounding bushland will be promoted including the current issues affecting effective management of the foreshore area through the provision of signage.

Interpretative signage such as explanations of the natural environment, including descriptions of native vegetation, native fauna utilising the area and descriptions of work in progress and the reasons for prohibitive measures (such as fires, vehicle access and dog controls) will be used, particularly in the vicinity of Elmore Lagoon.

Management Recommendations

- M24** Develop and install consistent signage for directional, interpretative and public safety.

5.6 Other Amenities

5.6.1 Toilets and Showers

Currently two chemi-toilets are provided at the car park associated with the Professional Fishermen's Boat Ramp. In the event of the Dunsborough Bay Yacht Club boatshed being approved, the existing amenities would be insufficient to cater for the increased demand. It is recommended that an amenity block constructed out of similar material as the proposed boatshed be located on the western side of the proposed Dunsborough Bay Yacht Club boatshed with access via the car park. It is recommended that co-contributions for this facility be sought from the Dunsborough Bay Yacht Club, commercial tour operators, professional fishermen and people with moorings to build community ownership for the amenity.

Management Recommendations

- M25** Subject to the boatshed being approved and constructed, design and construct a public toilet facility (including two toilets for both males and females and one disabled access toilet) subject to significant financial contribution from user groups and success with grant submissions.

M26 Subject to the boatshed being approved and constructed, provide a disabled car parking bay with ramp access adjacent to the disabled toilet facility subject to extension of car park and provision of toilet facilities.

M27 Subject to the boatshed being approved and constructed, connect the public toilet facility to reticulated sewer preferably, or alternatively to a Shire approved ATU subject to approval.

5.6.2 Bins

Rubbish facilities are not currently provided at the car parks as a mechanism designed to encourage people to take their rubbish with them.

It is not recommended that rubbish bins be placed on either the beach or DUP due to the inability/potential damage incurred in trying to provide vehicular access to empty the bins.

Management Recommendations

M28 Monitor the parking area for rubbish dumping and consider providing bins if necessary.

5.7 Interpretation and Education

The DCALC (2004) suggests that the Elmore Lagoon area could be used for educational purposes (eg. for bird watching). As previously stated in this Plan, there is very limited information available regarding the fauna usage, hydrology and stability of Elmore Lagoon and further background research is required in order to make informed decisions relating to potential development of Elmore Lagoon.

Management Recommendations

M29 Provide appropriate signage at Elmore Lagoon to enhance viewers understanding of the flora, fauna, landscape they are looking at and encourage dog owners to restrain their pets on a leash while around the Lagoon.

5.8 Heritage and Culture

The YHA Youth Hostel was originally a primary school and part of the original settlement at Quindalup and it is one of the oldest surviving buildings in the Quindalup area.

Management Recommendations

M30 Install an information plaque on the site of the old Quindalup School near the DUP, to inform pedestrians of the history of the site.

5.9 Fire Risk and Management

According to CoastWise (2001) it is considered that the use of regular burning as a management tool in the coastal zone is inadvisable. Geographe Bay Road currently performs the function of acting as a 10m-wide firebreak between the vegetation and the houses on the landward side of Geographe Bay Road. In the event of a wildfire, access to the majority of the Reserve by fire control vehicles is currently provided by Geographe Bay Road and the DUP.

Landholders of lots north of Geographe Bay that are shallow, having small setbacks from the reserve boundary, and concerned about fire damaging their property may seek the Shire's consideration for approval to maintain an area of slashed or reduced vegetation extending no more than 3 metres into the reserve.

Management Recommendations

M31 Ensure that access to a water supply for fire suppression purposes is available from fire hydrants located within the road reserves and that they are provided to the relevant standard and agency requirements.

5.10 Provision of Coastal Facilities

The provision of access and infrastructure in recreational areas is of high importance to both residents and visitors of the Quindalup foreshore area. The identification and management of recreational space areas ensures the conservation and maintenance of coastal habitats. The objective of a FMP must ensure that the provision or siting of coastal facilities be managed in such a way as to preserve the ecological integrity of the Reserve over the long-term. Preserving the ecological integrity of the Reserve can only be achieved by facilitating appropriate access and coastal facilities and restricting access or development of coastal facilities that may result in the degradation of coastal habitats.

Should a proposal for a boatshed for the preferred site (B) be received and be consistent with SPP2.6 Schedule 1 section G clause (b) (Temporary, easily relocatable structures, that are demonstrably coastally dependent), it could be considered by Council and DPI against the policy measures in Section 5 of SPP 2.6 and in consultation with other relevant agencies and community. A key issue for consideration of any such proposal would be the suitability of leasing arrangements that reflect the objectives of the exemption.

Management Recommendations

M32 Prior to Council considering any development application on the reserve the development application must be referred to the DPI for detailed assessment under the criteria set out in SPP2.6.

M33 Prior to finalising the siting of any permanent coastal facility, that a coastal engineer undertake a coastal stability assessment to produce a shoreline movement plan. This Assessment will determine the appropriateness or otherwise of permanent coastal facilities being constructed within the foreshore reserve.

M34 Prior to the provision/approval of developments/facilities/services that involve the removal of peppermint vegetation, the impacts on WRT possum should be assessed by a suitably qualified and experienced biologist in respect to the obligations under the EPBC Act.

M35 Prepare an action plan for the tennis court area to include rehabilitation and consider alternative use of the area.

6. IMPLEMENTATION

6.1 Community Involvement

There are several community groups that have an interest in Reserve 34111 and the greater Quindalup coastal strip and have expressed an interest assisting the Shire in the management of Reserve 34111:

Elmore Lagoon

The DCALC has expressed an interest in assisting the Shire manage the Elmore Lagoon as an avian fauna haven. The ways in which the group can assist the Shire are as follows:

- re-vegetate the area between the DUP and the lagoon with sedges and some trees (such as Peppermint and *Melaleuca* species); and
- monitor the water quality of the lagoon and record bird usage.

Professional Fishermen's Boat Ramp Development Area

The Dunsborough Bay Yacht Club proposes to build a boatshed to store boats and equipment on either Reserve 34111 or Reserve 46. In the event that the Dunsborough Bay Yacht Club boatshed is approved to be constructed near the professional fishermen's boat ramp and an amenity block adjacent to the Dunsborough Bay Yacht Club boatshed (for the use of the public) is constructed, the Dunsborough Bay Yacht Club have committed to managing those amenities for the Shire in a similar capacity to how the Sea Rescue volunteers manage the facilities at the Quindalup boat ramp located in Reserve 46.

6.2 External Funding Opportunities

In the event that the Shire approves the Dunsborough Bay Yacht Club application for a boatshed the DBYC is to fund the construction of their proposed boatshed and associated facilities and services.

- Agriculture WA may assist in providing chemicals for spraying declared weeds.
- CoastWest may provide assistance with appropriate signage.
- CALM may provide assistance with regard to trapping feral animals and foxes.

6.3 Shire Assistance

In the event that the Shire approves the Dunsborough Bay Yacht Club proposal, the provision of public amenities facility will be necessary because the Dunsborough Bay Yacht Club facility will provide the likelihood of use of the area for extended periods. Funding for this facility should be on a co-contribution basis with funds provided by the Shire, the Dunsborough Bay Yacht Club, commercial tour operators, professional fishermen and people with moorings.

6.4 Life of Plan

Due to the high growth rate of the Quindalup area and the Busselton Shire in general, it is recommended this FMP be reviewed in five years.

6.5 Prioritisation of Works and Allocation of Responsibility

Table 2 outlines the proposed works discussed in this FMP and suggests the body responsible for their implementation, their priority and a potential source of funding.

TABLE 2
FORESHORE MANAGEMENT PLAN
OBJECTIVES, MANAGEMENT RECOMMENDATIONS, RESPONSIBILITY, TIMEFRAME AND
POTENTIAL FUNDING SOURCES

Objective		Management Recommendation	Responsibility	Priority	Potential Funding Source
5.1 Remnant Vegetation	M1	Retain natural vegetation and landform (dunes) wherever possible.	Shire of Busselton	High	CoastWest
	M2	Localise construction of buildings and car parks in designated areas within the Reserve.	Shire of Busselton	High	Shire of Busselton
	M3	Prevent pedestrian access to sensitive dune vegetation through installation of appropriate fencing.	Shire of Busselton	High	CoastWest
	M4	Prevent vehicular access to beach and dunes through installation of appropriate fencing.	Shire of Busselton	High	CoastWest
	M5	Change the purpose of the reserve to 'Foreshore Protection and Recreation' to give recognition to the flora and fauna values of the reserve.	Shire of Busselton	High	
	M6	Prior to Council support for development on the reserve the Shire should seek powers to lease over the development area	Shire of Busselton	High	
	M7	Ensure revegetation efforts provide adequate representation of suitable habitats for the animal species present (Planning assessment by Shire). Conduct a fauna survey to determine requirements/effectiveness of the revegetation.	Shire of Busselton / proponent	In response to proposal	Proponent
5.2 Elmore Lagoon	M8	Investigate installing gross pollutant traps on stormwater pipes at point of entry to the Lagoon.	Shire of Busselton / DCALC	Medium	Coastal Catchments Initiative
	M9	Erect appropriate signage at strategic points around the Lagoon to discourage bird feeding.	DCALC/ Shire of Busselton	Medium	CoastWest
	M10	Prohibit further development on the Reserve within 50m of the riparian vegetation surrounding the Lagoon.	Shire of Busselton	High	

Objective		Management Recommendation	Responsibility	Priority	Potential Funding Source
	M11	Install appropriate fencing or a vegetative buffer between the Lagoon and the DUP to increase habitat function and visual amenity of the Lagoon.	Shire of Busselton In conjunction with community	Medium	CoastWest
5.3 Feral Animal Control	M12	In consultation with CALM, undertake trapping exercises to eradicate feral animals on an 'as needs' basis.	Shire of Busselton CALM for technical advice	Low	CALM
5.4 Weed Control	M13	Implement ongoing weed control within the Reserve according to the appropriate methods with preference given to manual removal of weeds or spot applications.	Shire of Busselton In conjunction with community	Medium	Agriculture WA
	M14	In the vicinity of Elmore Lagoon, herbicide use should be in accordance with the WRC 'Herbicide Use in Wetlands'.	Shire of Busselton DoE for technical advice	Medium	
5.5.1 Car Parking	M15	Increase the capacity of the professional fishermen's boat ramp car park subject to the DBYC proposal being approved.	Shire of Busselton DBYC	Subject to approval	
	M16	Upgrade the Elmore Lagoon car park to reduce dust emissions.	Shire of Busselton	High	
5.5.2 Beach Access Paths	M17	Formalise high usage beach access paths by surfacing with crushed limestone to reduce wear on the track and encourage pedestrians to stay on the path.	Shire of Busselton DCALC	Medium	CoastWest
	M18	Install appropriate fencing and brushing to prevent pedestrians veering off of designated beach access paths.	Shire of Busselton DCALC	Medium	CoastWest
	M19	Monitor low usage paths to determine whether or not formalisation or closure is more appropriate	Shire of Busselton DCALC	Medium	
	M20	Close off paths marked in pink or not shown in figure 3a and 3b with fencing and rehabilitate	Shire of Busselton DCALC	Medium	CoastWest
5.5.3 Dual Use Path	M21	Fence sections of the DUP to prevent random access to the Reserve.	Shire of Busselton	High	CoastWest
5.5.4 Fencing	M22	Install appropriate fencing along beach access paths, the DUP and car parks to protect vegetation and landforms (dunes).	Shire of Busselton	High	CoastWest


Objective		Management Recommendation	Responsibility	Priority	Potential Funding Source
	M23	In areas exhibiting signs of degradation, consider installing temporary transportable fencing to restrict access from the beach across the primary dunes.	Shire of Busselton	Low	CoastWest
5.5.5 Signage	M24	Develop and install consistent signage for directional, interpretative and public safety.	Shire of Busselton With assistance from community	High	CoastWest
5.6.1 Toilets and Showers	M25	Subject to the boatshed being approved and constructed, design and construct a public toilet facility (including a minimum of two toilets for both males and females and one disabled access toilet) subject to significant financial contribution from user groups and success with grant submissions.	Shire of Busselton	Subject to approval	Prof. Fishermen DBYC Mooring users
	M26	Subject to the boatshed being approved and constructed, design and construct a disabled car parking bay with ramp access adjacent to the disabled toilet facility subject to extension of car park and provision of toilet facilities.	Shire of Busselton	High	Prof. Fishermen DBYC Mooring users
	M27	Subject to the boatshed being approved and constructed, connect the public toilet facility to reticulated sewer preferably or alternatively to a Shire approved ATU subject to approval.	Shire of Busselton	High	Prof. Fishermen DBYC Mooring users
5.6.2 Bins	M28	Monitor the parking area for rubbish dumping and consider providing bins if necessary.	Shire of Busselton	Low	
5.7 Interpretation and Education	M29	Provide appropriate signage at Elmore Lagoon to enhance viewers understanding of the flora, fauna, landscape they are looking at and encourage dog owners to restrain their pets on a leash while around the Lagoon.	Shire of Busselton in conjunction with the DCALC GeoCatch	High	CoastWest
5.8 Heritage and Culture	M30	Install an informative plaque on the site of the old Quindalup School near the DUP to inform pedestrians of the history of the site.	Shire of Busselton	Low	Heritage Commission
5.9 Fire Risk and Management	M31	Ensure that access to a water supply for fire suppression purposes is available from fire hydrants located within the road reserves and that they are provided to the relevant standard and agency requirements.	Shire of Busselton FESA	Subject to approval	

Objective		Management Recommendation	Responsibility	Priority	Potential Funding Source
5.10 Provision of Coastal Facilities	M32	Prior to finalising the siting of <u>any</u> permanent coastal facilities, that a coastal engineer undertake a coastal stability assessment to produce a Shoreline Movement Plan. This Plan will determine the appropriateness or otherwise of permanent coastal facilities being constructed within the foreshore reserve.	Shire of Busselton/ Proponent	Subject to approval	
	M33	Prior to finalising the siting of <u>any</u> permanent coastal facility, that a coastal engineer undertake a coastal stability assessment to produce a shoreline movement plan. This Assessment will determine the appropriateness or otherwise of permanent coastal facilities being constructed within the foreshore reserve.	Proponent	Prior to consideration	
	M34	Prior to the provision/approval of developments/facilities/services that involve the removal of peppermint vegetation, the impacts on WRT possum should be assessed by a suitably qualified and experienced biologist in respect to the obligations under the EPBC Act.	Proponent	Prior to consideration	
	M35	Prepare an action plan for the tennis court area to include rehabilitation and consider alternative use of the area.	Shire of Busselton	Medium	Coastwest

REFERENCES

- CoastWise (2001). *Geographe Bay Foreshore Management Plan Proposals*. Prepared for the Shire of Busselton and the Geographe Catchment Council.
- Churchward, H.M. and McArthur, W.M. (1980). Landforms and Soils of the Darling System, Western Australia. *Atlas of Natural Resources, Darling System, Western Australia*. Department of Conservation and Environment, Perth, Western Australia.
- Dunsborough Coast and Land Care Inc (2004). *Protection/Management Plan for Elmore Lagoon*. Unpublished Draft prepared for the Shire of Busselton.
- English, V. and Blythe, J. (1997). *Identifying and Conserving Threatened Ecological Communities in the South West botanical Province*. Final Report (Project Number N702) to Environment Australia. Department of Conservation and Land Management, Perth, Western Australia.
- Gibson, N., Keighery, B., Keighery, G., Burbidge, A., and Lyons, M. (1994). *A Floristic Survey of the Swan Coastal Plain*. Department of Conservation and Land Management.
- Scheltema, M. and Harris, J. (1995). *Managing Perth's Bushlands: Perth's bushlands and how to manage them*. Greening Western Australia in association with the Department of Environmental Protection.
- Shire of Busselton (1996). *Quindalup Special Character Area Policy*. Adopted by Council February 1996.
- Smith F.G (1973). *Vegetation Map of Busselton and Augusta*. Western Australian Department of Agriculture.
- Water and Rivers Commission (2001). *Herbicide Use in Wetlands*. Water Note WN22.
- Western Australian Herbarium (2005). *Florabase*. Department of Conservation and Land Management.
- Wheeler, J. and Moore, J. (2002). *Southern weeds and their control*. Department of Agriculture of Western Australia Bulletin No. 4558/02.

FIGURES



metres


0 100 200 300 400

SCALE 1 : 7 000 @ A3

LEGEND

- - - Subject Land Boundary

Cadastral Boundary & Lot Number



VEGETATION TYPES LEGEND

- FnTdCmEpShH**
Herbland to Open Herbland dominated by *Ficinia nodosa*, **Trachyandra divaricata*, **Cakile maritima*, **Euphorbia paralias* and *Spinifex hirsutus* with occasional **Cyperus congestus*, *Carpobrotus virescens*, *ILepidosperma gladiatum* and **Pelargonium capitatum* over an Open Grassland of **Lagurus ovatus* and **Cynodon dactylon* on sands.
- AfLOW**
Low Open Woodland of *Agonis flexuosa* with occasional *Callitris preissii*, *Allocasuarina fraseriana* and *Santalum acuminatum* over a Very Open Herbland dominated by *Lepidosperma gladiatum* and *Ficinia nodosa* over a Grassland dominated by **Stenotaphrum secundatum*.
- JkFnApSqOH**
Open herbland dominated by *Juncus kraussii* subsp. *australiensis*, *Ficinia nodosa*, **Atriplex prostrata* and *Sarcocornia quinqueflora* over a Very Open Grassland dominated by **Cynodon dactylon* on sands.
- AfMrLOW**
Low Open Woodland of *Agonis flexuosa* with scattered *Melaleuca raphiophylla* over a Low Open Shrubland dominated by *Alyxia buxifolia* and *Hardenbergia comptoniana* over a Herbland of *Lepidosperma gladiatum* over a Very Open Grassland dominated by **Stenotaphrum secundatum* on sands.
- AfW**
Woodland of *Agonis flexuosa* with occasional *Callitris preissii* over an Open Shrubland of *Acacia cyclops* with occasional *Acacia littorea* and *Hibbertia cuneiformis* over a Herbland dominated by *Lepidosperma gladiatum* and *Acanthocarpus preissii* over an Open Grassland of **Lagurus ovatus*, **Avena fatua* and *Amphipogon turbinatus* on sands.
- AfEgLOW**
Low Open Woodland of *Agonis flexuosa* with occasional *Eucalyptus gomphocephala* over a Shrubland dominated by *Spyridium globulosum* and *Acacia littorea* with scattered *Acacia cyclops* and *Olearia axillaris* over a Closed Herbland dominated by *Lepidosperma gladiatum* with occasional **Pelargonium capitatum* over introduced annual species.
- TdLOS**
Low Open Shrubland of *Tetragonia decumbens* with scattered *Acacia cochlearis* over a Herbland dominated by *Spinifex hirsutus*, **Trachyandra divaricata*, **Asphodelus fistulosus* with occasional **Pelargonium capitatum*, *Cassytha racemosa* and **Cakile maritima* over a Very Open Grassland of **Vulpia myuros* and **Thinopyrum distichum* on sands.
- MIAfLOW**
Low Open Woodland of *Melaleuca lanceolata* and *Agonis flexuosa* over an Open Herbland dominated by *Lepidosperma gladiatum*, **Atriplex prostrata* and **Cakile maritima* over a Very Open Grassland dominated by **Cynodon dactylon* on sands.
- PS**
Planted **Pinus radiata*, **Schinus terebinthifolia*, *Allocasuarina fraseriana*, *Melaleuca lanceolata*, **Eucalyptus platypus* subsp. *platypus* and **Olea europaea* with *Agonis flexuosa* over an Open Grassland dominated by **Cynodon dactylon* on sands.
- PSS**
Planted species of **Eucalyptus leucoxylon* subsp. *leucoxylon*, **Leptospermum laevigatum*, **Melaleuca nesophila*, *Callitris preissii*, **Melia azedarach*, **Nerium oleander*, **Pinus radiata*, *Hibbertia cuneiformis*, **Lavandula stoechas* and **Pelargonium capitatum* on sands.

* Denotes introduced species

metres

SCALE 1 : 3 500 @ A3

LEGEND

- - - Subject Land Boundary
- Vegetation & Condition Boundary
- 42 Cadastral Boundary & Lot Number

VEGETATION CONDITION
(Legend Source: BUSH FOREVER Govt. of W.A.)

- P** Pristine (Not Applicable)
- Ex** Excellent (Not Applicable)
- VG** Very Good
- G** Good
- D** Degraded
- CD** Completely Degraded

NOTE: For full description see text Section 2.3.1

PHOTO SOURCE: DLI, May 2005
 CADASTRAL SOURCE: Shire of Busselton, 2005

ATA
Environmental
environmental scientists

FORESHORE MANAGEMENT PLAN
RESERVE 34111, QUINDALUP
**VEGETATION TYPES
& CONDITION - WEST**

FIGURE 2A



metres

0 50 100 150 200

SCALE 1 : 3 500 @ A3

VEGETATION TYPES LEGEND

FnTdCmEpShH

Herbland to Open Herbland dominated by *Ficinia nodosa*, *Trachyandra divaricata*, *Cakile maritima*, *Euphorbia paralias* and *Spinifex hirsutus* with occasional *Cyperus congestus*, *Carpobrotus virescens*, *Lepidosperma gladiatum* and *Pelargonium capitatum* over an Open Grassland of *Lagurus ovatus* and *Cynodon dactylon* on sands.

AfLOW

Low Open Woodland of *Agonis flexuosa* with occasional *Callitris preissii*, *Allocasuarina fraseriana* and *Santalum acuminatum* over a Very Open Herbland dominated by *Lepidosperma gladiatum* and *Ficinia nodosa* over a Grassland dominated by *Stenotaphrum secundatum*.

JkFnApSqOH

Open herbland dominated by *Juncus kraussii* subsp. *australiensis*, *Ficinia nodosa*, *Atriplex prostrata* and *Sarcocornia quinqueflora* over a Very Open Grassland dominated by *Cynodon dactylon* on sands.

AfMrLOW

Low Open Woodland of *Agonis flexuosa* with scattered *Melaleuca raphiophylla* over a Low Open Shrubland dominated by *Alyxia buxifolia* and *Hardenbergia comptoniana* over a Herbland of *Lepidosperma gladiatum* over a Very Open Grassland dominated by *Stenotaphrum secundatum* on sands.

AfW

Woodland of *Agonis flexuosa* with occasional *Callitris preissii* over an Open Shrubland of *Acacia cyclops* with occasional *Acacia littorea* and *Hibbertia cuneiformis* over a Herbland dominated by *Lepidosperma gladiatum* and *Acanthocarpus preissii* over an Open Grassland of *Lagurus ovatus*, *Avena fatua* and *Amphipogon turbinatus* on sands.

AfEgLOW

Low Open Woodland of *Agonis flexuosa* with occasional *Eucalyptus gomphocephala* over a Shrubland dominated by *Spyridium globulosum* and *Acacia littorea* with scattered *Acacia cyclops* and *Olearia axillaris* over a Closed Herbland dominated by *Lepidosperma gladiatum* with occasional *Pelargonium capitatum* over introduced annual species.

TdLOS

Low Open Shrubland of *Tetragonia decumbens* with scattered *Acacia cochlearis* over a Herbland dominated by *Spinifex hirsutus*, *Trachyandra divaricata*, *Asphodelus fistulosus* with occasional *Pelargonium capitatum*, *Cassutha racemosa* and *Cakile maritima* over a Very Open Grassland of *Vulpia myuros* and *Thinopyrum distichum* on sands.

MIAfLOW

Low Open Woodland of *Melaleuca lanceolata* and *Agonis flexuosa* over an Open Herbland dominated by *Lepidosperma gladiatum*, *Atriplex prostrata* and *Cakile maritima* over a Very Open Grassland dominated by *Cynodon dactylon* on sands.

PS

Planted *Pinus radiata*, *Schinus terebinthifolia*, *Allocasuarina fraseriana*, *Melaleuca lanceolata*, *Eucalyptus platypus* subsp. *platypus* and *Olea europaea* with *Agonis flexuosa* over an Open Grassland dominated by *Cynodon dactylon* on sands.

PSS

Planted species of *Eucalyptus leucoxylon* subsp. *leucoxylon*, *Leptospermum laevigatum*, *Melaleuca nesophila*, *Callitris preissii*, *Melia azedarach*, *Nerium oleander*, *Pinus radiata*, *Hibbertia cuneiformis*, *Lavandula stoechas* and *Pelargonium capitatum* on sands.


* Denotes introduced species

CHECKED BY: AD/BVW 15-7-05

DRAWN BY: TE/GLM 15-7-05

DATUM: MGA50

SBU-5-5WKPLANEAST.dgn



LEGEND

- - - Subject Land Boundary
- Vegetation & Condition Boundary
- 42 Cadastral Boundary & Lot Number

VEGETATION CONDITION

(Legend Source: BUSH FOREVER Govt. of W.A.)


- P** Pristine (Not Applicable)
- Ex** Excellent
- VG** Very Good
- G** Good
- D** Degraded
- CD** Completely Degraded

NOTE: For full description see text Section 2.3.1

PHOTO SOURCE: DLI, May 2005
CADASTRAL SOURCE: Shire of Busselton, 2005



FORESHORE MANAGEMENT PLAN
RESERVE 34111, QUINDLLUP
**VEGETATION TYPES
& CONDITION - EAST**
FIGURE 2B



LEGEND

- - - - - Subject Land Boundary
- 42 — Cadastral Boundary & Lot Number
- - - - - Rehabilitation Area Boundary
- — — — — Track to be Rehabilitated
- - - - - Dual Use Path
- - - - - Fence
- Beach Access Tracks
 - — — — — High Use Formalise
 - Low Use Monitor

PHOTO SOURCE: DLI, May 2005
 CADASTRAL SOURCE: Shire of Busselton, 2005


ATA
 Environmental
 environmental scientists

FORESHORE MANAGEMENT PLAN
 RESERVE 34111, QUINDALUP
MANAGEMENT PLAN - WEST

FIGURE 3A










metres




SCALE 1 : 3 500 @ A3

LEGEND

-  Subject Land Boundary
-  42 Cadastral Boundary & Lot Number
-  Rehabilitation Area Boundary
-  Track to be Rehabilitated
-  Dual Use Path
-  Fence
-  Existing Car Parking Area
-  Possible Car Park Extension (Retaining mature trees where possible)
-  Existing Transportable (Chemical) Toilet Block
- Beach Access Tracks**
-  High Use Formalise
-  Low Use Monitor

NOTE
 Pursuant to resolution CO508/268, the Busselton Shire Council has endorsed Site B only for consideration in the Draft Management Plan during the community consultation phase.



APPENDICES

APPENDIX 1
COUNCIL RESOLUTION

APPENDIX 1
COUNCIL RESOLUTION

2 SPECIFICATION AND SPECIAL CONDITIONS OF CONTRACT

2.1 SCOPE OF WORK

2.1.1 INTRODUCTION

The purpose of this consultancy is to develop a Foreshore Management Plan (FMP) for Reserve 34111, Quindalup

2.1.2 BACKGROUND

Reserve 34111 is a 'C' Class reserve which extends from the Elmore St Lagoon east to Robbies Close, and abuts Shire Reserve 46. It is vested in the Shire of Busselton for recreation. It is approximately 21 ha in size. There is a boat ramp used by professional fishermen in the eastern part of the Reserve.

Native vegetation in the area near the boat ramp has become degraded through pedestrian and vehicular traffic. The car and boat trailer parking area is further degrading native vegetation. In addition, loss of vegetation and erosion is occurring due to the number of informal pedestrian beach access paths in the Reserve.

The Shire of Busselton received an application by the Dunsborough Bay Yacht Club (DBYC) to construct a boat shed on Reserve 46. Reserve 46 is an 'A Class' reserve with important conservation values. The Foreshore Management Plan for Reserve 46 recommended there be no future developments on the Reserve to minimise impacts upon it. DBYC sought Council support to find an alternative suitable site for the boat shed.

A consultant, Janet Payton, was engaged to hold a community workshop and determine an alternative site that was acceptable to the community. 'C Class' Reserve 34111 was determined to be the most suitable site, subject to detailed investigations into the impacts of such a proposal on the Reserve. In contrast to the workshop recommendations, it must be noted that Quindalup Strip Preservation Committee objected to the construction of a boat storage shed on Reserve 34111.

The purpose of this contract is to develop a draft FMP for Reserve 34111, investigating the impacts of the proposed shed on the Reserve, and provide detailed recommendations for its ongoing management as outlined in the Specification section below.

Key components of this contract include:

- 1) Investigation of the impacts of the proposal on the Reserve;
- 2) Consultation with the community and agency stakeholders; and
- 3) Making recommendations on management of the Reserve in the form of Foreshore Management Plan.

2.2 SPECIFICATION

2.2.1 GENERAL

To develop a management plan for Reserve 34111, detailing background information, an examination of the key environmental assets and values of the Reserve, the threats to these assets and strategies to manage the threats. An action plan that details priority management actions, how much they are expected to cost, when they should occur and who should implement them is to be included.

2.2.2 SPECIFIC MANAGEMENT ISSUES

For the community and Council to be comfortable with the FMP, the plan must consider the following matters:

- That Council, on January 27, 2005, resolved (C0501/020) that a FMP for Reserve 34111 should be developed. This resolution lists certain matters that must be addressed in the draft FMP. This Resolution is provided below.

C0501/020 Moved Councillor Clarke, seconded Councillor Reid

That Council resolve as follows.

1 That the Chief Executive Officer be requested to employ an appropriate consultant to prepare a draft management plan for Reserve 34111 that amongst other things that the Chief Executive believes should be addressed, would in particular seek to

** determine a 12 metre x 12 metre site for a yacht club shed (adjoining or near by the 'Professional Fishermen's Boat Ramp');*

** necessary parking, access and public amenities;*

** ensure coastal and environmental issues are addressed, and*

** ensure appropriate consultation is carried out with stakeholders*

2. That consultation and public advertising of the draft management plan for Reserve 34111 be undertaken in accordance with normal practise but which includes specific reference to the following community groups:

** Dunsborough Bay Yacht Club);*

** Toby Inlet Catchment Group,*

** Dunsborough Progress Association;*

** Dunsborough Coast Care Group;*

** Busselton Dunsborough Environment Centre, and*

** Quindalup Strip Preservation Committee*

3. That once advertising of the draft management plan for Reserve 34111 has been carried out (with advertising for not less than 28 days), the draft management plan be referred to Council along with a schedule of any submissions, for determination

4 That up to \$5,000 be utilised from Council's Strategic Fund (COA 5302) and \$5,000 be utilised from Management Plans and Implementation (COA 2012) to appoint an appropriate consultant to carry out the draft management plan for Reserve 34111, consultation and reporting

CARRIED 11/0

- That in 1999 the Shire of Busselton adopted a Friends of Reserves Strategy which outlines the general format and contents for Reserve Management Plans. See Attachment 1 for these guidelines;
- That as part of the development of the draft Foreshore Management Plan for Reserve 46, a list of matters that must be considered in the assessment of any proposal in the Reserve is relevant in the management of Reserve 34111. This is provided below:

- a) *impact of providing any servicing and infrastructure (eg power, water, effluent treatment);*
 - b) *additional access requirements from Geographe Bay Road to the facility and the beach.*
 - c) *additional traffic generated through the neighbourhood to the Reserve as a result of the proposal (short and long term);*
 - d) *car parking requirements (if any) as a result of the proposal (both short and long term); and*
 - e) *impact on shoreline movement (jetty and hard structures) on or close to the beach*
- That Dunsborough Coast and Landcare (DCALC) has submitted to Council a draft plan for the management of Elmore Lagoon. This information should be incorporated and/or acknowledged in the FMP.

2.2.3 CONSULTATION

Community acceptance of the FMP is a high priority and therefore thorough consultation is seen as an important aspect of the contract. Consultation should include (and not be limited to) the following community groups, Government organisations and agencies.

- Dunsborough Bay Yacht Club;
- Toby Inlet Catchment Group (TIC);
- Dunsborough Progress Association;
- Dunsborough Coast and Land Care (DCALC);
- Busselton Dunsborough Coast Care Group (BDEC);
- Quindalup Strip Preservation Committee;
- DPI Coastal Management Branch;
- DPI Coastal Engineering Branch;
- DPI Hard Assets Management Branch;
- Department of Fisheries;
- Department of Conservation and Land Management;
- Department of Environment;
- Water Corporation; and
- Shire of Busselton.

It is also expected that towards the end of the contract period a community briefing be held to inform the public on the findings of the FMP and advise on how submissions on it can be made.

2.2.4 LEGISLATIVE AND POLICY FRAMEWORK

The FMP must give regard the Legislation and policies relevant to the area. These include:

- The Environmental Protection Act (1986);
- Busselton District Town Planning Scheme No. 20 (1999);
- Quindalup Special Character Area Policy (part of IPS 20 1999);
- Leeuwin-Naturaliste Ridge Statement of Planning Policy (1998); and
- Geographe Bay Foreshore Management Plan (2001)

2.2.5 WORK PLAN AND BUDGET

The respondent should propose a full work plan with budget to progress and deliver the outcomes required within the term of the contract (2 months). All costs must be *exclusive* of GST.

The work plan must address all aspects listed in this specification.

2.2.6 TIME FRAMES AND REPORTING

The consultant is required to submit a project timeline with appropriate milestones for payment. The term of the contract is 2 months from the time of commencement. The commencement date is to be immediately upon the time of awarding the contract to the successful applicant. Reporting will be linked to project milestones and to be mutually agreed by the principle and successful consultant.

The key outcome of the project is a draft Foreshore Management Plan, ready for the community consultation process, submitted to Council by the end of the two month contract period.

2.2.7 DELIVERABLES

1) A draft Foreshore Management Plan which is of a standard to the satisfaction of the Principal, suitable for community consultation purposes. A general content list is provided in Attachment 2 as a guide to the format and range of topics expected to be considered in the plan, however, it must address all issues outlined in Section 2.2.2 Specific Management Issues above.

2) A community briefing to be held in Dunsborough toward the end of the contract.

2.3 SPECIAL CONDITIONS OF CONTRACT

2.3.1 CONTRACT AND PROJECT MANAGEMENT

Contract Manger

The Contract is between the consultant and the Shire of Busselton.

Funding is held by the Shire and invoices are to be made out to the Shire of Busselton.

Project Manager

The project manager is the Shire of Busselton.

2.3.2 PERIOD OF CONTRACT AND TERMINATION

The Contract shall be in force for the period of two months. However, in the event of the Contractor failing in any manner to carry out the Contract to the Principal's satisfaction, the Principal may forthwith determine the Contract by written notice to the Contractor

2.3.3 INSURANCES

The successful Respondent and its subcontractor(s) (if any) will be required to effect:

(a) public liability insurance in the sum of at least \$5,000,000

in respect of any one occurrence;

(b) professional indemnity insurance in the sum of at least \$5,000,000

in respect of any one occurrence; and

or satisfy the Principal of its ability to meet obligations arising from the indemnity provisions of the Contract.

2.3.4 OWNERSHIP AND COPYRIGHT

All plans, reports, drawing and information gathered by the consultant during the course of the contract and associated consultancy shall remain confidential and copyright, and shall become the property of the Shire of Busselton

APPENDIX 2
QUINDALUP RESERVE No. 34111
FLORA LIST

APPENDIX 3
BIRDS OBSERVED DURING SUMMER 2003
BY DUNSBOROUGH COAST AND LAND CARE

APPENDIX 2
QUINDALUP RESERVE No. 34111 FLORA LIST

* Denotes Introduced (weeds) and non-endemic species.

Family	Genus/Species	Common Name
GYMNOSPERMS		
ARAUCARIACEAE	<i>*Araucaria heterophylla</i>	Norfolk pine
CUPRESSACEAE	<i>Callitris preissii</i>	Rottneest Island pine
PINACEAE	<i>*Pinus radiata</i>	Radiata pine
MONOCOTYLEDONS		
ASPHODELACEAE	<i>*Trachyandra divaricata</i>	Dune onion weed
CYPERACEAE	<i>Baumea juncea</i>	Bare twigrush
	<i>*Cyperus congestus</i>	Dense flat-sedge
	<i>Ficinia nodosa</i>	Knotted club rush
DASYPOGONACEAE	<i>Acanthocarpus preissii</i>	Prickle lily
HAEMODORACEAE	<i>Conostylis aculeata</i> subsp. <i>gracilis</i>	Prickly conostylis
JUNCACEAE	<i>Juncus kraussii</i> subsp. <i>australiensis</i>	Snogerup
	<i>Juncus pallidus</i>	Pale rush
POACEAE	<i>Amphipogon turbinatus</i>	
	<i>*Avena fatua</i>	Wild oat
	<i>*Cynodon dactylon</i>	Couch grass
	<i>*Lagurus ovatus</i>	Hare's tail grass
	<i>Spinifex hirsutus</i>	Hairy spinifex

Family	Genus/Species	Common Name
	<i>*Stenotaphrum secundatum</i>	Buffalo grass
	<i>*Thinopyrum distichum</i>	Sea wheat
	<i>*Vulpia myuros</i>	Rat's tail fescue
DICOTYLEDONS		
AIZOACEAE	<i>Carpobrotus virescens</i>	Coastal pigface
	<i>Tetragonia decumbens</i>	Sea spinach
ANACARDIACEAE	<i>*Schinus terebinthifolia</i>	Japanese pepper
APIACEAE	<i>*Hydrocotyle bonariensis</i>	
APOCYNACEAE	<i>*Nerium oleander</i>	
	<i>Alyxia buxifolia</i>	Dysentery bush
ASTERACEAE	<i>*Arctotheca populifolia</i>	Dune arctotheca
	<i>*Conyza sumatrensis</i>	
	<i>*Gazania linearis</i>	Gazania
	<i>*Hypochaeris glabra</i>	Smooth catsear
	<i>*Pseudognaphalium luteoalbum</i>	Jersey cudweed
	<i>*Ursinia anthemoides</i>	Ursinia
BRASSICACEAE	<i>*Cakile maritima</i>	Sea rocket
CASUARINACEAE	<i>Allocasuarina fraseriana</i>	Sheoak
CHENOPODIACEAE	<i>Atriplex ?cinerea</i>	Grey saltbush
	<i>*Atriplex prostrata</i>	Hastate orache
	<i>Rhagdia baccata, ssp. Baccata</i>	Berry saltbush
	<i>Sarcornia quinqueflora ssp quinqueflora</i>	Beaded samphire
	<i>Saueda australis</i>	Coast bonefruit
DILLENACEAE	<i>Hibbertia cuneiformis</i>	Cutleaf hibbertia
EPACRIDACEAE	<i>Leucopogon parviflorus</i>	Coast Beard-heath
EUPHORBIACEAE	<i>*Euphorbia paralias</i>	Sea spurge
	<i>Phyllanthus calycinus</i>	False boronia
GERANIACEAE	<i>*Pelargonium capitatum</i>	Rose pelargonium
LAMIACEAE	<i>*Lavandula stoechas</i>	Spanish lavender
LAURACEAE	<i>Cassytha racemosa</i>	Dodder laurel

Family	Genus/Species	Common Name
MELIACEAE	* <i>Melia azedarach</i>	White cedar
MIMOSACEAE	<i>Acacia cochlearis</i>	Rigid wattle
	<i>Acacia cyclops</i>	Coastal wattle
	<i>Acacia littorea</i>	
	<i>Acacia rostellifera</i>	Summer scented-wattle
	<i>Acacia saligna</i>	Orange wattle
MYRTACEAE	<i>Agonis flexuosa</i> var <i>flexuosa</i> .	Peppermint
	<i>Eucalyptus gomphocephala</i>	Tuart
	* <i>Eucalyptus leucoxylon</i> subsp. <i>leucoxylon</i>	Blue gum
	* <i>Eucalyptus platypus</i> subsp. <i>platypus</i>	Moort
	* <i>Leptospermum laevigatum</i>	Coast teatree
MYRTACEAE (Cont)	<i>Melaleuca lanceolata</i>	Rottnest teatree
	* <i>Melaleuca nesophila</i>	Mindiyaed
	<i>Melaleuca raphiophylla</i>	Swamp paperbark
OLEACEAE	* <i>Olea europaea</i>	Olive
OROBANCHACEAE	* <i>Orobanche minor</i>	Lesser broomrape
PAPILIONACEAE	<i>Hardenbergia comptoniana</i>	Native wisteria
PLANTAGINACEAE	* <i>Plantago lanceolata</i>	Ribwort plantain
POLYGONACEAE	<i>Muehlenbeckia adpressa</i>	Climbing lignum
PROTEACEAE	* <i>Adenathos cygnorum</i>	Common woollybush
	* <i>Grevillea argyrophylla</i>	Silvery-leaved grevillea
RHAMNACEAE	<i>Spyridium globulosum</i>	Basket bush
SANTALACEAE	<i>Santalum acuminatum</i>	Quandong

APPENDIX 3
BIRDS OBSERVED DURING SUMMER 2003 BY D-CLAC

Source: Dunsborough Coast and Land Care Inc (2004) Protection/management Plan for Elmore Lagoon (unpublished report prepared to provide information to the Shire of Busselton).

Cormorants
Black Swans (50) (some with cygnets)
Musk Ducks (6)
Egrets (3)
Sandpipers (4)
Pacific Gulls (4)
Darters (5)
Black Ducks (70)
Black winged stilts (12)
Pelicans (12)
Hérons (4)
Swamp harrier (1)
Little Grebes (20)
Mountain ducks (5)
Spoonbills (4)
Red Capped dotterel (numerous, breeding)
Oyster catchers (2)
Ospreys (4)
Coots (100)
Teals (12)
Ibis (8)
Silver Gulls

APPENDIX 4
DUNSBOROUGH YACHT CLUB WORKSHOP
REPORT OCTOBER 2004 (BY JANET PAYTON)

DUNSBOROUGH BAY YACHT CLUB WORKSHOP REPORT

October 2004

Background

This workshop was called as a result of a Busselton Shire Council resolution to scope and investigate appropriate sites for a boat storage shed for the DBYC within the Dunsborough/Quindalup area with specific reference to land immediately east of the professional fishermen's boat launching area at Quindalup

The workshop was organized and facilitated by Janet Payton at the request of the Shire of Busselton and held on Monday 25 October from 9am till 12.30pm at the Naturaliste Community Centre. Five community groups were represented by two members from each group.

The Dunsborough Bay Yacht Club was represented by four of its senior club members.

Three staff from the departments of Planning, Engineering and Environment represented the Shire.

The Department of Planning and Infrastructure was represented by a staff member from the Coastal Planning Division.

The full attendance list and the workshop agenda are attached.

Format

- **Following introductions and an overview of the workshop process participants were asked to nominate their desired outcome.**

One speaker spoke on behalf of each community group. Statements were:

Dunsborough Bay Yacht Club: *Acquire a site for a boat shed*

Toby's Inlet Catchment Group: *Find an alternative site to A class reserve 46*

Quindalup Strip Residents Group: *Help find a resolution*

Dunsborough Progress Association: *Agree on the preferred site today*

Busselton/Dunsborough Environment Centre: *A solution acceptable for yachting and the environment*

Dunsborough Coast & Land Care: *Identify a hard coast site and get resolution*

- **Specific sites were then identified for discussion.**

Apart from A class reserve 46 and C class reserve 34111 the group acknowledged other sites including Eagle Bay, old Dunsbrough ramp, Curtis Bay, the "Holy Mile, " and the mouth of Toby's Inlet. They agreed unanimously that none of the sites other than A 46 and C 34111 warranted consideration.

The pros and cons of these two sites were then listed as follows:

A 46

Pros

1. Infrastructure already in place
2. Ideal water for off beach sailing

3. Within the Dunsborough town site
4. Suited to recreation

Cons

1. Area permitted for public use has already been exceeded
2. Set back required is too much
3. Problems with legislation
4. Site of last reserved Agonis plant system on the coast
5. On a dynamic coastline and subject to change
6. Existing infrastructure inadequate
7. Congested waters

C 34111

Pros

1. Potential for adequately good sailing including access and water depth
2. Fewer development constraints than A 46
3. Infrastructure can be upgraded for boat shed to operate there
4. Site is screened from the road and there is a large buffer from houses
5. Shorter distance and so less traffic on Geographe Bay Road
6. Would open up another coastal zone and facilitate people's use of beach
7. Less water traffic as well as road traffic

Cons

1. Need to regulate mixed use
2. Possible congestion with children, yachts, whale watching
3. Liability issue in case of an extreme environmental incident

4. Lack of sufficient setback
5. Protection of primary sand dune
6. Need for good management
7. Associated costs

- **Maps, charts and photographs of the areas were examined and it was agreed to visit the proposed site on reserve 34111.**

At the site, Noel Fogarty, for the Dunsborough Bay Yacht Club described how the 10m x 12m shed would be located and he and other club members answered questions and gave information on environmental impact, control of water traffic, access for vehicles to the site and access for boats to the water.

- **The workshop then proceeded at the Community Centre and participants were asked what position they now held with regard to 34111. All participants contributed and their responses are as follows:**

DBYC

1. The site on C reserve 34111 is as good a site as A46
2. Would need help with infrastructure provision, including ramp to the waters edge, toilets, a car park for exclusive use, and access road to the shed.
3. Would forgo current application for A46

4. Could consider both sites simultaneously
5. Would like a positive resolution to enable planning to go ahead

Toby's Inlet Catchment Group

1. No problems with 34111
2. Need to consider access preparation
3. Would limit tracks to the beach
4. Toilets at the site would assist boating effluent control

Quindalup Strip Residents Group

1. Concerned about water traffic congestion
2. Better than A46 and the shed is well sited
3. Extended infrastructure is an environmental problem
4. Would add to vehicular traffic on Geographe Bay Road. Long term planning is needed.
5. Need for sufficient setback could be a problem

Dunsborough Progress Association

1. Both sites are opportunities to improve community infrastructure
2. 34111 can become a public place with amenities
3. Is sufficient space an issue?
4. Could agree with this site
5. The area of influence needs to be considered and potential growth of club
6. Would like a management plan

Dunsborough Coast and Land Care

1. Would like an environmental impact study

2. Setbacks are limited
3. Would like assurances about who pays for maintenance, etc.
4. Who carries the risk? This would have to be considered in the approvals process

Busselton Dunsborough Environment Centre

1. Not ideal but there is no real objection to 34111
2. Need to have structure back as far as possible from beach
3. Developing infrastructure is a big job. Can the DBYC cope?
4. Who pays and contributes to the costs?
5. Supports an environmental review

- **Shire and DP& I staff, and members of the DBYC were able to comment on the above issues as they were raised.**

Comments were as follows:

DBYC

1. The size of the boat shed is 12mx10m and will be adequate for a period of about 10 years
2. Yacht Club social functions take place at the Dunsborough Country Club
3. There are 25 yachts in 3 classes
4. The Yacht Club only sails on Sundays. Other users of the site have a more constant impact

Shire Staff

The Shire of Busselton will be working on strategic planning issues in Quindalup and has appointed a new staff position to concentrate on this.

DP& I

The State Coastal Management Plan varies with regard to setbacks and there can be exemptions to the 100 metre rule, depending on individual circumstances.

Outcome

With the exception of the Quindalup Strip Resident's Group all participants agreed that the site on C class Reserve 34111 could be a suitable location for a boat shed for the Dunsborough Bay Yacht Club

However there are some concerns that they would want the Shire to consider.

These include a management plan for the area, an environmental review, and consideration of the cost of infrastructure development and who would contribute.

Workshop participants mentioned their concern about increasing traffic along Geographe Bay Road and the need for the Shire to have a traffic management plan. Mentioned also was the potential impact of a proposed bridge across Toby's Inlet. It was suggested that it is the commercial users of the coast who are contributing to the build up in traffic movement along the road and that they could be asked to relocate their operations elsewhere.

One of the advantages seen for developing infrastructure at 34111 was providing toilets for the use of boat owners and visitors. Concern was expressed about current levels of pollution in the water.

While conceding during the workshop that there were some good points about this site, the Quindalup Strip Residents Group however stated that they would

have a problem with either of the sites. They stated that their members were concerned with any further development in this area and that they could not support a boat shed on reserve 34111.

Janet Payton
Workshop Facilitator
October 30 2004