



2 Southern Drive, Busselton WA 6280

All Correspondence to: **The Chief Executive Officer**, Locked Bag 1, Busselton WA 6280

Ph: (08) 9781 0444 – Fax: (08) 9752 4958

Email: city@busselton.wa.gov.au - Web: www.busselton.wa.gov.au

FIREBREAK AND FUEL HAZARD REDUCTION VARIATION FORM

(An Aid in Conservation and Fire Protection Planning)

Please note: An inspection will be undertaken on your property to ensure the measures you wish to put in place are suitable.

Property Details:

Location/Lot No: _____

House No: _____

Street & Suburb: _____

Property ID: _____

Property Owner: _____

Contact Number: _____

Do you:

(Please tick)

- Reside on the property permanently; or
- Part time (i.e. holiday house); or
- Not at all (i.e. vacant land).

1. What section of the City's Firebreak and Fuel Hazard Reduction Notice are you seeking a variation from?

- Firebreak width/location
- Fuel loadings
- Building Protection Zone distance
- Other, please specify

2. Why do you wish to take alternative fire protection measures on your property?

- Protection of flora/fauna
- Prevent soil erosion).
- Other, please specify

3. What are your intended fire protection objectives?

- Life
- Dwelling
- Pasture
- Neighbours
- Other, please specify

4. What are your intended conservation protection objectives?

- Prevent fire encroachment
- Retain in virgin state
- Prevent soil erosion
- Ensure native fauna multiplies
- Protect orchids, etc.)
- Other, please specify

5. What alternative measures do you proposed that will at least afford the same level of protection to your property and your neighbours (show on map wherever possible).

- Alternative firebreaks
- Hazard reduction burning by whom and how
- Use of natural features
- Other, please specify

6. Detail the resources that you have available to suppress wild fires (show on map wherever possible)

- Type and location of firefighting equipment
- Fire reporting procedures
- Other, please specify

7. Who have you consulted in the formulation of your Fire Management Plan?

- Fire Control Officer
- Department of Fire and Emergency Services
- Department of Agriculture
- Department of Parks and Wildlife
- Other, please specify

8. What environmental implications is the above work likely to have?

- Soil erosion
- Dieback spread
- Other, please specify

9. Will this Fire Management Plan have implications upon fire protection of neighbouring properties, life or values? If so what are these?

10. What other points/comments (if any) are relevant to this Fire Management Plan do you wish to make?

11. Attach a map (suitable scale) showing property boundaries, bush areas, cleared areas, paddocks, roads, tracks, firebreaks, dwellings, buildings, other value areas, water courses, water available for firefighting, low or reduced fuel areas. Ensure you define areas of conservation value.

Please ensure that this application is submitted to the City of Busselton by no later than 31 October this year.

Print Name: _____

Signature: _____

Date: ____/____/____

Office Use Only

The abovementioned property was inspected on ____/____/____ by _____
and the alternate measures are: Approved Not approved

It is recommended that this variation be approved for a _____ year period.

Comments: _____

Ranger Signature: _____

Date: ____/____/____

Coordinator Signature: _____

Date: ____/____/____